

US00D679708S

(12) **United States Design Patent**  
**Li**

(10) **Patent No.:** **US D679,708 S**

(45) **Date of Patent:** **\*\* Apr. 9, 2013**

(54) **STYLUS FOR USE WITH CAPACITIVE AND RESISTIVE TOUCH PANELS**

(75) Inventor: **Qing-Ping Li**, Shenzhen (CN)

(73) Assignee: **FIH (Hong Kong) Limited**, Kowloon (HK)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/377,209**

(22) Filed: **Oct. 19, 2010**

(51) **LOC (9) Cl.** ..... **14-02**

(52) **U.S. Cl.**  
USPC ..... **D14/411**

(58) **Field of Classification Search** ..... D14/228,  
D14/225, 206, 219, 220, 221, 229, 497, 411;  
D8/107; D19/35, 36, 41-51, 54-58; 401/197,  
401/202, 208, 209, 213, 192, 195, 243; 381/361,  
381/359, 355, 177; 426/140; 455/95  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D200,732 S *	3/1965	Fischer	.....	D8/61
D430,206 S *	8/2000	Holtzman et al.	.....	D19/46
D499,447 S *	12/2004	Hui-Kuo	.....	D19/36
D500,790 S *	1/2005	Jaakkola	.....	D19/43
D533,590 S *	12/2006	Beyer	.....	D19/49
D551,712 S *	9/2007	Bui et al.	.....	D19/51
D584,355 S *	1/2009	Hidaka et al.	.....	D19/51

D595,718 S *	7/2009	Richter et al.	.....	D14/411
D623,187 S *	9/2010	Cacioppo et al.	.....	D14/411
D631,477 S *	1/2011	Cacioppo et al.	.....	D14/411
D634,747 S *	3/2011	Wong et al.	.....	D14/411
D646,277 S *	10/2011	Kim et al.	.....	D14/411

\* cited by examiner

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Altis Law Group, Inc.

(57) **CLAIM**


The ornamental design for a stylus for use with capacitive and resistive touch panels, as shown and described.

**DESCRIPTION**

FIG. 1 is a rear perspective view of a stylus for use with capacitive and resistive touch panels showing my new design; FIG. 2 is a side elevational view thereof; FIG. 3 is a side elevational view thereof; FIG. 4 is a front side elevational view thereof; FIG. 5 is a rear side elevational view thereof; FIG. 6 is a top plan view thereof; FIG. 7 is a bottom plan view thereof; and, FIG. 8 is a rear perspective view of the stylus for use with capacitive and resistive touch panels of FIG. 1 shown in another configuration, where the capacitive stylus is in an extended position.

The broken lines shown in the drawings illustrate unclaimed portions of the stylus for use with capacitive and resistive touch panels and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8