

US00D679823S

(12) **United States Design Patent**
Daniels et al.

(10) **Patent No.:** **US D679,823 S**
(45) **Date of Patent:** **** Apr. 9, 2013**

(54) **HEAT PACK INSERT**

(75) Inventors: **Dean Jeffrey Daniels**, Symmes Township, OH (US); **Karin Michele Reed**, Wyoming, OH (US)

(73) Assignee: **Wyeth LLC**, Maidson, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/393,563**

(22) Filed: **Jun. 7, 2011**

(51) **LOC (9) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/206**

(58) **Field of Classification Search** D24/206–208, D24/189–192, 118; 602/1–7, 17–27, 61–66, 602/74, 30; 128/112.1, 117.1, 95.1, 96.1, 128/97.1, 100.1, 101.1, 876; 606/204, 27; 607/96, 108, 109, 111, 112; D29/121.1, D29/121.2, 122, 101.2, 101.5, 120.1; D3/327; D9/707; 601/15, DIG. 1; 126/204; D6/601, D6/582, 583, 613; D1/128

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D346,926 S *	5/1994	Sullivan	D6/601
D399,382 S *	10/1998	Rivard et al.	D6/601
D403,778 S	1/1999	Davis et al.		
D407,497 S *	3/1999	Davis et al.	D24/206
D407,824 S	4/1999	Davis et al.		
D408,923 S	4/1999	Davis et al.		
D418,606 S	1/2000	Davis et al.		
D435,910 S	1/2001	Davis et al.		
D455,002 S *	4/2002	Holden	D24/189
D469,878 S	2/2003	Davis et al.		
D472,321 S	3/2003	Davis et al.		
6,629,964 B1	10/2003	Ono et al.		

D484,984 S *	1/2004	Takizawa et al.	D24/206
D528,206 S *	9/2006	Bierman	D24/189
D571,922 S	6/2008	Freeland		
D572,825 S	7/2008	Freeland		
D587,812 S *	3/2009	Uchiyama et al.	D24/206
D599,484 S *	9/2009	Gray et al.	D24/206
D601,707 S *	10/2009	Chouiller	D24/189
D627,076 S *	11/2010	Matsuo et al.	D24/206
D627,893 S *	11/2010	Weiss	D24/191
D638,947 S *	5/2011	Rubi et al.	D24/189
D655,420 S *	3/2012	Bowles	D24/206
2009/0287280 A1	11/2009	Wong et al.		

OTHER PUBLICATIONS

U.S. App. No. 29/393,562, filed Jun. 7, 2011, Daniels et al.

* cited by examiner

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — Keith D. Hutchinson; Jeffrey Gold

(57) **CLAIM**

The ornamental design for a heat pack insert, as shown and described.

DESCRIPTION

FIG. 1 is a front elevation view of the design of the present invention;

FIG. 2 is a front perspective view of the design of the present invention showing an external holder housing the insert;

FIG. 3 is a top plan view of the design of the present invention; and,

FIG. 4 is a side elevation view of the design of the present invention.

The broken line showing of the external holder in FIG. 1 is included for the purpose of illustrating use and environment and forms no part of the claimed design.

1 Claim, 2 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4

