



US00D679823S

(12) **United States Design Patent**  
**Daniels et al.**

(10) **Patent No.:** **US D679,823 S**  
(45) **Date of Patent:** **\*\* Apr. 9, 2013**

- (54) **HEAT PACK INSERT**
- (75) Inventors: **Dean Jeffrey Daniels**, Symmes Township, OH (US); **Karin Michele Reed**, Wyoming, OH (US)
- (73) Assignee: **Wyeth LLC**, Maidson, NJ (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/393,563**
- (22) Filed: **Jun. 7, 2011**
- (51) **LOC (9) Cl.** ..... **24-04**
- (52) **U.S. Cl.**  
USPC ..... **D24/206**
- (58) **Field of Classification Search** ..... D24/206–208, D24/189–192, 118; 602/1–7, 17–27, 61–66, 602/74, 30; 128/112.1, 117.1, 95.1, 96.1, 128/97.1, 100.1, 101.1, 876; 606/204, 27; 607/96, 108, 109, 111, 112; D29/121.1, D29/121.2, 122, 101.2, 101.5, 120.1; D3/327; D9/707; 601/15, DIG. 1; 126/204; D6/601, D6/582, 583, 613; D1/128  
See application file for complete search history.

D484,984 S *	1/2004	Takizawa et al.	.....	D24/206
D528,206 S *	9/2006	Bierman	.....	D24/189
D571,922 S	6/2008	Freeland		
D572,825 S	7/2008	Freeland		
D587,812 S *	3/2009	Uchiyama et al.	.....	D24/206
D599,484 S *	9/2009	Gray et al.	.....	D24/206
D601,707 S *	10/2009	Chouiller	.....	D24/189
D627,076 S *	11/2010	Matsuo et al.	.....	D24/206
D627,893 S *	11/2010	Weiss	.....	D24/191
D638,947 S *	5/2011	Rubi et al.	.....	D24/189
D655,420 S *	3/2012	Bowles	.....	D24/206
2009/0287280 A1	11/2009	Wong et al.		

**OTHER PUBLICATIONS**

U.S. App. No. 29/393,562, filed Jun. 7, 2011, Daniels et al.

\* cited by examiner

*Primary Examiner* — David Muller

(74) *Attorney, Agent, or Firm* — Keith D. Hutchinson; Jeffrey Gold

(57) **CLAIM**

The ornamental design for a heat pack insert, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevation view of the design of the present invention;

FIG. 2 is a front perspective view of the design of the present invention showing an external holder housing the insert;

FIG. 3 is a top plan view of the design of the present invention; and,

FIG. 4 is a side elevation view of the design of the present invention.

The broken line showing of the external holder in FIG. 1 is included for the purpose of illustrating use and environment and forms no part of the claimed design.

**1 Claim, 2 Drawing Sheets**

- (56) **References Cited**
- U.S. PATENT DOCUMENTS
- D346,926 S \* 5/1994 Sullivan ..... D6/601
- D399,382 S \* 10/1998 Rivard et al. .... D6/601
- D403,778 S 1/1999 Davis et al.
- D407,497 S \* 3/1999 Davis et al. .... D24/206
- D407,824 S 4/1999 Davis et al.
- D408,923 S 4/1999 Davis et al.
- D418,606 S 1/2000 Davis et al.
- D435,910 S 1/2001 Davis et al.
- D455,002 S \* 4/2002 Holden ..... D24/189
- D469,878 S 2/2003 Davis et al.
- D472,321 S 3/2003 Davis et al.
- 6,629,964 B1 10/2003 Ono et al.




FIG. 1




FIG. 2




FIG. 3




FIG. 4

