



US00D680012S

(12) **United States Design Patent**  
**Granius et al.**

(10) **Patent No.:** **US D680,012 S**  
(45) **Date of Patent:** **\*\* Apr. 16, 2013**

(54) **WETNESS INDICATOR**  
(75) Inventors: **Marty J. Granius**, Menasha, WI (US);  
**Paula K. DeBruin**, Sherwood, WI (US);  
**Joy Patricia Bauman**, Neenah, WI  
(US); **Marcille Faye Ruman**, Oshkosh,  
WI (US)

(73) Assignee: **Kimberly-Clark Worldwide, Inc.**,  
Neenah, WI (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/417,347**

(22) Filed: **Apr. 2, 2012**

**Related U.S. Application Data**

(62) Division of application No. 29/367,398, filed on Aug.  
6, 2010, now Pat. No. Des. 656,852.

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/101**

(58) **Field of Classification Search** ..... D10/56,  
D10/101; D24/124, 126; 374/162; 422/401;  
604/360, 361

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,580,079	A *	5/1971	Crites et al. ....	374/160
4,541,987	A *	9/1985	Guadagno ....	422/401
4,703,017	A *	10/1987	Campbell et al. ....	436/501
D617,896	S *	6/2010	Noel et al. ....	D24/124
D639,934	S *	6/2011	Noel et al. ....	D24/124
D646,381	S *	10/2011	Casini et al. ....	D24/124
8,231,839	B2 *	7/2012	Robins ....	422/401
8,251,965	B2 *	8/2012	Costea et al. ....	604/385.01

2002/0016579	A1 *	2/2002	Stenberg .....	604/361
2007/0276348	A1 *	11/2007	Stenberg .....	604/361
2008/0262452	A1 *	10/2008	McGinnis et al. ....	604/359
2009/0302498	A1 *	12/2009	Nedestam .....	264/263
2010/0220328	A1 *	9/2010	Isaka et al. ....	356/445
2012/0035563	A1 *	2/2012	Ruman et al. ....	604/361
2012/0165771	A1 *	6/2012	Ruman et al. ....	604/361
2012/0172825	A1 *	7/2012	Ales et al. ....	604/361

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Dority & Manning, P.A.

(57) **CLAIM**


The ornamental design for a wetness indicator, as shown and described.

**DESCRIPTION**

FIG. 1 is a full perspective view of a first embodiment of a wetness indicator on an absorbent article showing the design; FIG. 2 is a front view of wetness indicator of FIG. 1; FIG. 3 is a rear view of the absorbent article of FIG. 1; FIG. 4 is a top view of the absorbent article of FIG. 1; FIG. 5 is a bottom view of the absorbent article of FIG. 1; FIG. 6 is a left side view of the absorbent article of FIG. 1; FIG. 7 is a right side view of the absorbent article of FIG. 1; FIG. 8 is a front perspective view of a wetness indicator on a substrate; FIG. 9 is another embodiment of a wetness indicator on a substrate; FIG. 10 is another embodiment of a wetness indicator on a substrate; and, FIG. 11 is another embodiment of a wetness indicator on a substrate.

The claimed design comprises the elements shown in solid lines, the absorbent article shown in dotted lines in FIGS. 1 through 7 forming no part of the claimed design.

**1 Claim, 9 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7






FIG. 8




FIG. 9




FIG. 10




FIG. 11