



US00D680027S

(12) **United States Design Patent**  
**Haas**

(10) **Patent No.:** **US D680,027 S**  
(45) **Date of Patent:** **\*\* Apr. 16, 2013**

(54) **LANYARD CLASP FOR IDENTIFICATION BADGES**

(71) Applicant: **David J. Haas**, Suffern, NY (US)

(72) Inventor: **David J. Haas**, Suffern, NY (US)

(73) Assignee: **Tecco, Inc.**, Suffern, NY (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/437,547**

(22) Filed: **Nov. 18, 2012**

(51) **LOC (9) Cl.** ..... **02-07**

(52) **U.S. Cl.**  
USPC ..... **D11/201**

(58) **Field of Classification Search** ..... D11/1-2,  
D11/200-201, 206-210, 214-218, 3, 7; 24/163 R,  
24/169-171, 173, 177-179, 191, 194-195,  
24/197, 200, 614-616, 625, 198; D3/215,  
D3/327; D8/356, 395; 40/1.5

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

1,153,094 A	9/1915	McGiwty	
2,212,862 A	8/1940	Hirsh	
2,341,773 A	2/1944	Hanson	
3,529,329 A	11/1968	Burleson	
D214,825 S	8/1969	Czapar et al.	
3,467,246 A	9/1970	Long et al.	
4,030,385 A	6/1977	Scholin et al.	
D252,355 S	7/1979	Uber	
D271,986 S	12/1983	Belser	
5,027,477 A	7/1991	Seron	
5,279,057 A	1/1994	Melin et al.	
D386,215 S	11/1997	White et al.	
5,791,076 A *	8/1998	Gailliard	40/1.5
5,799,426 A	9/1998	Peterson	
D410,411 S	6/1999	Fildan	
5,986,562 A	11/1999	Nikolich et al.	
D445,723 S	7/2001	Kim	
6,276,029 B1	8/2001	Buettell	
6,539,588 B1	4/2003	Brososky et al.	
D479,647 S	9/2003	Paura et al.	
6,704,979 B1	3/2004	de Riz et al.	

6,752,305 B2 *	6/2004	Shattuck	224/603
6,848,207 B1	2/2005	Powell	
7,015,815 B1	3/2006	Feibelman	
7,137,216 B2	11/2006	Ali et al.	
7,520,079 B2	4/2009	Stallings et al.	
7,575,137 B1	8/2009	Lederer et al.	
D612,765 S *	3/2010	Fildan et al.	D11/218
7,774,969 B1	8/2010	Silverman	
D631,737 S	2/2011	Haas	
D631,738 S	2/2011	Haas	
D632,610 S	2/2011	Corrado	
8,001,710 B2	8/2011	McKye	
D666,525 S	9/2012	Anderson et al.	
8,266,770 B2	9/2012	Haas	
D672,279 S *	12/2012	Kalbach	D11/201
2002/0153400 A1	10/2002	Chase et al.	
2003/0213826 A1	11/2003	Jacobs	
2009/0020571 A1	1/2009	Toman	
2012/0125958 A1	5/2012	Waltersdorf	

**FOREIGN PATENT DOCUMENTS**

FR 2 392 896 12/1978

\* cited by examiner

*Primary Examiner* — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Michael E. Zall

(57) **CLAIM**

I claim the ornamental design for a lanyard clasp for identification badges, as shown.

**DESCRIPTION**

FIG. 1 is a front perspective view of a lanyard clasp for identification badges shown in a position of use, the broken line showing of a figure is for illustrative purposes only and forms no part of the claimed design;

FIG. 2 is a front perspective view;

FIG. 3 is a top view;

FIG. 4 is a front plan view;

FIG. 5 is a right side view;

FIG. 6 is a bottom view;

FIG. 7 is a rear plan view;

FIG. 8 is a left side view;

FIG. 9 is a front perspective view of a lanyard clasp for identification badges showing a second embodiment of my new design;




FIG. 10 is a top view of FIG. 9;  
FIG. 11 is a front plan view of FIG. 9;  
FIG. 12 is a right side view of FIG. 9;  
FIG. 13 is a bottom view of FIG. 9;  
FIG. 14 is a rear plan view of FIG. 9;  
FIG. 15 is a left side view of FIG. 9;  
FIG. 16 is a front perspective view of a lanyard clasp for identification badges showing a third embodiment of my new design;  
FIG. 17 is a top view of FIG. 16;  
FIG. 18 is a front plan view of FIG. 16;  
FIG. 19 is a right side view of FIG. 16;  
FIG. 20 is a bottom view of FIG. 16;  
FIG. 21 is a rear plan view of FIG. 16;  
FIG. 22 is a left side view of FIG. 16;  
FIG. 23 is a front perspective view of a lanyard clasp for identification badges showing a fourth embodiment of my new design;  
FIG. 24 is a top view of FIG. 23;  
FIG. 25 is a front plan view of FIG. 23;  
FIG. 26 is a right side view of FIG. 23;  
FIG. 27 is a bottom view of FIG. 23;

FIG. 28 is a rear plan view of FIG. 23;  
FIG. 29 is a left side view of FIG. 23;  
FIG. 30 is a front perspective view of a lanyard clasp for identification badges showing a fifth embodiment of my new design;  
FIG. 31 is a top view of FIG. 30;  
FIG. 32 is a front plan view of FIG. 30;  
FIG. 33 is a right side view of FIG. 30;  
FIG. 34 is a bottom view of FIG. 30;  
FIG. 35 is a rear plan of FIG. 30;  
FIG. 36 is a left side view of FIG. 30;  
FIG. 37 is a front perspective view of a lanyard clasp for identification badges showing a sixth embodiment of my new design;  
FIG. 38 is a top view of FIG. 37;  
FIG. 39 is a front plan view of FIG. 37;  
FIG. 40 is a right side view of FIG. 37;  
FIG. 41 is a bottom view of FIG. 37;  
FIG. 42 is a rear plan view of FIG. 37; and,  
FIG. 43 is a left side view of FIG. 37.

**1 Claim, 19 Drawing Sheets**

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13






FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29



FIG. 30






FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43

