



US00D680256S

(12) **United States Design Patent**
Kong et al.

(10) **Patent No.:** **US D680,256 S**
(45) **Date of Patent:** **** Apr. 16, 2013**

(54) **LED LIGHTING APPARATUS**

(75) Inventors: **Kyung-II Kong**, Seoul (KR); **Hwayoung Kim**, Seoul (KR); **Jihoo Kim**, Seoul (KR)

(73) Assignee: **LG Innotek Co., Ltd.**, Seoul (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/409,622**

(22) Filed: **Dec. 27, 2011**

Related U.S. Application Data

(62) Division of application No. 29/376,770, filed on Oct. 12, 2010, now Pat. No. Des. 655,032.

(30) **Foreign Application Priority Data**

Apr. 10, 2010 (KR) 30-2010-0015959
Apr. 10, 2010 (KR) 30-2010-0015960
Apr. 10, 2010 (KR) 30-2010-0015961
Apr. 10, 2010 (KR) 30-2010-0015962

(51) **LOC (9) Cl.** **26-03**

(52) **U.S. Cl.**
USPC **D26/83**

(58) **Field of Classification Search** D26/72,
D26/80-83, 85, 89; 362/147, 240, 249.01,
362/249.02, 432

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,715,449 A * 8/1955 Smith et al. 362/217.07
D180,537 S * 6/1957 Stevens D26/76
D239,729 S 4/1976 Alabardo
D272,656 S 2/1984 Parker

D311,781 S 10/1990 Usher
D503,821 S * 4/2005 Waldmann D26/78
D513,643 S * 1/2006 Vakil et al. D26/76
D521,172 S * 5/2006 Chen D26/76
D521,675 S * 5/2006 Chen D26/76
7,108,403 B1 9/2006 Walters et al.

(Continued)

OTHER PUBLICATIONS

U.S. Notice of Allowance dated Oct. 13, 2011, issued in U.S. Appl. No. 29/376,770.

Primary Examiner — Clare E Heflin

(74) *Attorney, Agent, or Firm* — KED & Associates LLP


(57) **CLAIM**

We claim the ornamental design for a LED lighting apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a LED lighting apparatus; FIG. 2 is a front view of the LED lighting apparatus of FIG. 1; FIG. 3 is a rear view of the LED lighting apparatus of FIG. 1; FIG. 4 is a left side view of the LED lighting apparatus of FIG. 1; FIG. 5 is a right side view of the LED lighting apparatus of FIG. 1; FIG. 6 is a top view of the LED lighting apparatus of FIG. 1; FIG. 7 is a bottom view of the LED lighting apparatus of FIG. 1; FIG. 8 is a front perspective view of the LED lighting apparatus of FIG. 1 shown in use installed on an exemplary ceiling with the light emitting part in diagonal line; and, FIG. 9 is a rear perspective, cross-sectional view of the LED lighting apparatus of FIG. 1, taken along line 9-9 of FIG. 1. The broken lines shown on the drawings depict environment only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



US D680,256 S

Page 2

U.S. PATENT DOCUMENTS

D539,943 S	4/2007	Egawa et al.		D603,547 S	11/2009	Starck	
D565,240 S	3/2008	Blum et al.		D607,597 S	1/2010	Choi	
D572,400 S *	7/2008	Benensohn	D26/76	D607,599 S *	1/2010	Zhou et al.	D26/80
D576,333 S	9/2008	Benensohn		D639,486 S	6/2011	Wauters	
D580,093 S	11/2008	Conroy		D643,961 S	8/2011	Mancini et al.	

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

FIG. 6





FIG. 7






FIG. 8




FIG. 9