



US00D680493S

(12) **United States Design Patent**
Basic et al.

(10) **Patent No.:** **US D680,493 S**

(45) **Date of Patent:** **** Apr. 23, 2013**

(54) **ELECTRIC GENERATOR**

(71) Applicant: **C.E. Niehoff & Co.**, Evanston, IL (US)

(72) Inventors: **Nisvet Basic**, Chicago, IL (US); **Ninos Canon**, Niles, IL (US); **Issam Jabaji**, Glenview, IL (US)

(73) Assignee: **C.E. Niehoff & Co.**, Evanston, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/434,262**

(22) Filed: **Oct. 11, 2012**

(51) **LOC (9) Cl.** **13-01**

(52) **U.S. Cl.**
USPC **D13/114**

(58) **Field of Classification Search** D13/114,
D13/112, 113, 122, 184, 199; D15/1, 5;
290/36 R, 38 R, 39; 310/10, 20, 40 R, 40 MM,
310/42, 68 D, 75 R, 80, 83, 88, 89, 98, 109,
310/114

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|---------------|---------|--------------------|-------|---------|
| D314,742 S * | 2/1991 | Sieber | | D13/114 |
| 5,172,022 A * | 12/1992 | Ketola | | 310/91 |
| 5,696,415 A * | 12/1997 | Fujimoto et al. | | 310/89 |
| D398,285 S | 9/1998 | Becker et al. | | |
| D398,286 S | 9/1998 | Becker et al. | | |
| 5,914,549 A * | 6/1999 | Adachi et al. | | 310/89 |
| D425,020 S | 5/2000 | Becker et al. | | |
| D467,541 S * | 12/2002 | Hemphill | | D13/114 |
| D548,696 S | 8/2007 | Pourkermani et al. | | |
| D563,870 S | 3/2008 | Naghshineh | | |
| D563,871 S | 3/2008 | Becker et al. | | |

(Continued)

OTHER PUBLICATIONS

C.E. Niehoff & Co. Brushless Alternators Product Catalog, 2001.

C.E. Niehoff & Co. Brushless Alternators, 2009 <http://www.ceniehoff.com>.

Primary Examiner — Derrick Holland

(74) *Attorney, Agent, or Firm* — Law Offices of Michael M. Ahmadshahi

(57) **CLAIM**

The ornamental design for an electric generator, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an electric generator according to the present invention.

FIG. 2 is a rear view thereof.

FIG. 3 is a first side view thereof.

FIG. 4 is a second side view thereof.

FIG. 5 is a top view thereof.

FIG. 6 is a bottom view thereof.

FIG. 7 is a first isometric view thereof.

FIG. 8 is a second isometric view thereof.

FIG. 9 is the front view of the electrical generator according to FIG. 1 without the cover plate.

FIG. 10 is the rear view of the electrical generator according to FIG. 2 without the cover plate.

FIG. 11 is the first side view of the electrical generator according to FIG. 3 without the cover plate.

FIG. 12 is the second side view of the electrical generator according to FIG. 4 without the cover plate.


FIG. 13 is the top view of the electrical generator according to FIG. 5 without the cover plate.

FIG. 14 is the bottom view of the electrical generator according to FIG. 6 without the cover plate.

FIG. 15 is the first isometric view of the electrical generator according to FIG. 7, including a rotation, without the cover plate; and,

FIG. 16 is the second isometric view of the electrical generator according to FIG. 8, including a rotation, without the cover plate.

1 Claim, 16 Drawing Sheets



US D680,493 S

Page 2

U.S. PATENT DOCUMENTS

D574,325 S 8/2008 Naghshineh
D587,194 S 2/2009 Pourkermani et al.
D610,088 S 2/2010 Becker et al.
D618,170 S 6/2010 Miller

D618,615 S 6/2010 Basic et al.
D650,332 S 12/2011 Pourkermani et al.
D665,353 S 8/2012 Balaban

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16