



US00D680531S

(12) **United States Design Patent**
Honda et al.

(10) **Patent No.:** **US D680,531 S**
(45) **Date of Patent:** **** Apr. 23, 2013**

(54) **PORTABLE INFORMATION TERMINAL**

(75) Inventors: **Kotaro Honda**, Tokyo (JP); **Kozou Maemura**, Tokyo (JP)

(73) Assignee: **NEC Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/396,179**

(22) Filed: **Jun. 27, 2011**

(30) **Foreign Application Priority Data**

Dec. 27, 2010 (JP) 2010-031045

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/345**

(58) **Field of Classification Search** D14/341-347,
D14/137, 138, 138.1, 138 AA, 138 R, 138 AB,
D14/138 AC, 138 AD, 138 C, 138 G, 496,
D14/203.1, 203.3, 203.4, 203.5, 203.7, 426,
D14/427, 432, 429, 129, 130, 420, 439-441,
D14/448, 125, 147, 156, 218, 247-248, 250,
D14/389, 388, 315-318; D10/65, 104; D18/6-7;
D21/324, 329, 330; D19/26, 59, 60; 455/556.1,
455/556.2, 566, 575.1, 90.3; 379/433.04,
379/433.01, 433.06, 916; 345/169, 173,
345/901, 905, 179; 361/679.09, 679.15,
361/679.16, 679.26, 679.27, 679.3, 679.55,
361/679.56, 680-686; 248/917-924; 348/373,
348/376; 235/145 A, 145 R

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D385,533 S * 10/1997 Adams D14/327
D386,521 S * 11/1997 Eisenbaum D14/345

D399,526 S * 10/1998 Brady D14/345
D426,236 S * 6/2000 Kim et al. D14/345
D428,004 S * 7/2000 Colvin D14/345
D493,463 S * 7/2004 Takahashi D14/373
D494,968 S * 8/2004 Yonekawa et al. D14/345
D495,693 S * 9/2004 Yonekawa et al. D14/345
D499,095 S * 11/2004 Balarezo D14/345
D507,567 S * 7/2005 Yonekawa et al. D14/345
D584,726 S * 1/2009 Morita D14/341
7,705,799 B2 * 4/2010 Niwa 345/1.1
D626,124 S * 10/2010 Chyan et al. D14/341
2004/0046705 A1 * 3/2004 Masazumi et al. 345/1.1

* cited by examiner

Primary Examiner — Barbara Fox

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC


(57) **CLAIM**

The ornamental design for a portable information terminal, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the portable information terminal that comprises my invention;
FIG. 2 is a rear view thereof;
FIG. 3 is a left side view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a perspective view thereof;
FIG. 8 is a front view in the closed state thereof;
FIG. 9 is a rear view in the closed state thereof;
FIG. 10 is a left side view in the closed state thereof;
FIG. 11 is a right side view in the closed state thereof;
FIG. 12 is a top plan view in the closed state thereof;
FIG. 13 is a bottom plan view in the closed state thereof; and,
FIG. 14 is a perspective view in the closed state.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14