



US00D680730S

(12) **United States Design Patent**
Ozuna

(10) **Patent No.:** **US D680,730 S**
(45) **Date of Patent:** **** Apr. 30, 2013**

(54) **IMPACT TIP FOR MOTION ASSISTANCE
DEVICE**

(76) Inventor: **Mario Ozuna**, American Fork, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/386,768**

(22) Filed: **Mar. 4, 2011**

(51) **LOC (9) Cl.** **03-03**

(52) **U.S. Cl.**
USPC **D3/17**

(58) **Field of Classification Search** D3/5-17;
135/66-69, 72, 74, 75; D21/725, 780
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,274,430 A	6/1981	Schaaf et al.	
D324,946 S	3/1992	Karten	
5,217,419 A	6/1993	Harwood	
5,224,506 A	7/1993	Allen et al.	
5,238,013 A	8/1993	Battison et al.	
D349,144 S	7/1994	Greene	
5,331,989 A	7/1994	Stephens	
5,376,139 A	12/1994	Pitkin	
5,409,029 A	4/1995	Davis	
5,485,862 A	1/1996	Kahn	
5,782,256 A	7/1998	Bradley	
D412,615 S	8/1999	Brightbill et al.	
5,996,602 A	12/1999	Cato, III	
D419,288 S	1/2000	Hartfield	
D420,213 S	2/2000	Almond, Jr.	
D425,293 S	5/2000	Maalik	
D426,495 S	6/2000	Vaccaro	
6,131,593 A	10/2000	Greene et al.	
D433,354 S	11/2000	Donets	
D442,123 S *	5/2001	Johnston	D12/133

D481,531 S	11/2003	Haythornthwaite
6,702,859 B1	3/2004	Laghi
D511,889 S	11/2005	Cockrell
D521,720 S	5/2006	Karasin et al.
D531,399 S	11/2006	Olerud
D576,402 S	9/2008	White

(Continued)

OTHER PUBLICATIONS

International Search Report and Written Opinion, PCT/US2010/026827, dated May 4, 2010.

Office Action dated Apr. 12, 2010 from U.S. Appl. No. 29/334,692.

Office Action dated Jun. 18, 2010 from U.S. Appl. No. 121426,055.

Final Office Action dated Dec. 29, 2010 from U.S. Appl. No. 12/426,055.

Primary Examiner — T. Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Kunzler Law Group, PC

(57) **CLAIM**

The ornamental design for an impact tip for a motion assistance device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the impact tip;

FIG. 2 is a bottom perspective view of the impact tip;

FIG. 3 is a front view of the impact tip (the back view of the impact tip is identical to or a mirror image of the front view);


FIG. 4 is a top view of the impact tip;

FIG. 5 is a bottom view of the impact tip; and,

FIG. 6 is a right side view of the impact tip (the left side view of the impact tip is identical to or a mirror image of the right side view).

The broken lines are directed to environment and form no part of the claimed design.

1 Claim, 3 Drawing Sheets



US D680,730 S

Page 2

U.S. PATENT DOCUMENTS					
7,509,966	B2	3/2009	Karasin et al.	D628,792	S 12/2010 Ozuna et al.
7,610,926	B2	11/2009	Adams	2005/0016572	A1 1/2005 Townsend et al.
7,637,274	B1	12/2009	Dodson	2009/0255562	A1 10/2009 Ruddy
D610,792	S	3/2010	Ozuna et al.	2010/0229903	A1 9/2010 Ozuna
D628,791	S	12/2010	Ozuna et al.	* cited by examiner	




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6