



US00D680732S

(12) **United States Design Patent**  
**Nagy**

(10) **Patent No.:** **US D680,732 S**  
(45) **Date of Patent:** **\*\* Apr. 30, 2013**

(54) **KEY FOB**

**DESCRIPTION**

(75) Inventor: **Ferenc Joseph Nagy**, Wallingford, CT (US)  
(73) Assignee: **V12 FOB LLC**, Wallingford, CT (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/398,851**  
(22) Filed: **Aug. 5, 2011**  
(51) **LOC (9) Cl.** ..... **03-01**  
(52) **U.S. Cl.**  
USPC ..... **D3/207**  
(58) **Field of Classification Search** ..... D11/1-2,  
D11/14, 26-29, 89-92, 44, 48, 81, 99; D3/207-212;  
D8/16, 38, 347, 348; 70/456 B, 457, 458;  
206/37.1; D21/576, 593, 594, 606, 609,  
D21/610, 611, 659, 660  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D441,524 S *	5/2001	Shimizu et al.	.....	D3/207
D461,047 S *	8/2002	Peterson	.....	D3/208
D557,111 S *	12/2007	Ydremark et al.	.....	D8/347
D558,785 S *	1/2008	Kofford	.....	D14/496
D560,352 S *	1/2008	Cadiz et al.	.....	D3/208
D563,097 S *	3/2008	Reichling et al.	.....	D3/207
D577,485 S *	9/2008	Mohs	.....	D3/207
D587,899 S *	3/2009	Oksanen	.....	D3/207
D639,547 S *	6/2011	Stefanov	.....	D3/207
D652,379 S *	1/2012	Vandiver	.....	D13/108

\* cited by examiner

*Primary Examiner* — Ralf Seifert

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

I claim, the ornamental design for a key fob, as shown and described.

FIG. 1 is a perspective view of a key fob, showing our new design in an exemplary embodiment;  
FIG. 2 is a second perspective view of the embodiment shown in FIG. 1;  
FIG. 3 is a third perspective view of the embodiment shown in FIG. 1;  
FIG. 4 is a front elevation view of the embodiment shown in FIG. 1;  
FIG. 5 is a back elevation view of the embodiment shown in FIG. 1;  
FIG. 6 is a side elevation view of the embodiment shown in FIG. 1;  
FIG. 7 is a second side elevation view of the embodiment shown in FIG. 1;  
FIG. 8 is a top plan view of the embodiment shown in FIG. 1;  
FIG. 9 is a bottom plan view of the embodiment shown in FIG. 1;  
FIG. 10 is a perspective view of a key fob, showing our new design in another exemplary embodiment;  
FIG. 11 is a second perspective view of the embodiment shown in FIG. 10;  
FIG. 12 is a third perspective view of the embodiment shown in FIG. 10;  
FIG. 13 is a front elevation view of the embodiment shown in FIG. 10;  
FIG. 14 is a back elevation view of the embodiment shown in FIG. 10;  
FIG. 15 is a side elevation view of the embodiment shown in FIG. 10;  
FIG. 16 is a second side elevation view of the embodiment shown in FIG. 10;  
FIG. 17 is a top plan view of the embodiment shown in FIG. 10;  
FIG. 18 is a bottom plan view of the embodiment shown in FIG. 10;  
FIG. 19 is a perspective view of a key fob, showing our new design in another exemplary embodiment;  
FIG. 20 is a second perspective view of the embodiment shown in FIG. 19;  
FIG. 21 is a third perspective view of the embodiment shown in FIG. 19;





FIG. 22 is a front elevation view of the embodiment shown in FIG. 19;  
FIG. 23 is a back elevation view of the embodiment shown in FIG. 19;  
FIG. 24 is a side elevation view of the embodiment shown in FIG. 19;  
FIG. 25 is a second side elevation view of the embodiment shown in FIG. 19;  
FIG. 26 is a top plan view of the embodiment shown in FIG. 19;  
FIG. 27 is a bottom plan view of the embodiment shown in FIG. 19;  
FIG. 28 is a perspective view of a key fob, showing our new design in another exemplary embodiment;  
FIG. 29 is a second perspective view of the embodiment shown in FIG. 28;  
FIG. 30 is a third perspective view of the embodiment shown in FIG. 28;  
FIG. 31 is a front elevation view of the embodiment shown in FIG. 28;  
FIG. 32 is a back elevation view of the embodiment shown in FIG. 28;  
FIG. 33 is a side elevation view of the embodiment shown in FIG. 28;  
FIG. 34 is a second side elevation view of the embodiment shown in FIG. 28;  
FIG. 35 is a top plan view of the embodiment shown in FIG. 28;  
FIG. 36 is a bottom plan view of the embodiment shown in FIG. 28;

FIG. 37 is a perspective view of a key fob, showing our new design in another exemplary embodiment;  
FIG. 38 is a second perspective view of the embodiment shown in FIG. 37;  
FIG. 39 is a third perspective view of the embodiment shown in FIG. 37;  
FIG. 40 is a front elevation view of the embodiment shown in FIG. 37;  
FIG. 41 is a back elevation view of the embodiment shown in FIG. 37;  
FIG. 42 is a side elevation view of the embodiment shown in FIG. 37;  
FIG. 43 is a second side elevation view of the embodiment shown in FIG. 37;  
FIG. 44 is a top plan view of the embodiment shown in FIG. 37; and,  
FIG. 45 is a bottom plan view of the embodiment shown in FIG. 37.  
The phantom lines shown in FIGS. 10-45 indicate environmental renderings that form no part of the claimed design.  
The dash-dot lines shown in FIGS. 10-45 indicate indefinite opening shape, depth, and number in the key fob, wherein any interior components of the key fob that may be visible through the opening are environmental and not part of the claimed design.  
The dash-dot-dot lines shown at edges and/or surfaces of the key fob in FIGS. 19-45 indicate indefinite edge and/or surface, with the key fob being of any length.  
The oblique line shading shown in FIGS. 1-45 represents a highly polished finish.

**1 Claim, 25 Drawing Sheets**



**FIG. 1**




FIG. 2




FIG. 3




FIG. 4







FIG. 5




**FIG. 6**




**FIG. 7**



**FIG. 8**




**FIG. 9**




**FIG. 10**







**FIG. 11**




**FIG. 12**




**FIG. 13**




**FIG. 14**




**FIG. 15**




**FIG. 16**




**FIG. 17**




**FIG. 18**




**FIG. 19**




**FIG. 20**




**FIG. 21**




**FIG. 22**



**FIG. 23**




**FIG. 24**




**FIG. 25**







**FIG. 26**




**FIG. 27**




**FIG. 28**




**FIG. 29**




**FIG. 30**




**FIG. 31**




**FIG. 32**




**FIG. 33**




**FIG. 34**




**FIG. 35**




**FIG. 36**



**FIG. 37**




**FIG. 38**




**FIG. 39**







**FIG. 40**




**FIG. 41**




**FIG. 42**



**FIG. 43**



**FIG. 44**



**FIG. 45**