



US00D680829S

(12) **United States Design Patent**
Nelson et al.

(10) **Patent No.:** **US D680,829 S**
(45) **Date of Patent:** **** Apr. 30, 2013**

(54) **SECATEUR**

(75) Inventors: **Linn E. Nelson**, Portland, OR (US);
Karl H. Zeller, Portland, OR (US)

(73) Assignee: **Barnel International, Inc.**, Portland,
OR (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/399,532**

(22) Filed: **Aug. 15, 2011**

(51) **LOC (9) Cl.** **08-01**

(52) **U.S. Cl.**
USPC **D8/5**

(58) **Field of Classification Search** D8/4, 5,
D8/52, 57-58; 30/251-252, 261-262, 266,
30/287, 131, 135

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D337,033 S 7/1993 DeVille
5,787,589 A * 8/1998 Auderset 30/261
D433,886 S 11/2000 Wolter, Jr.
D433,887 S 11/2000 Deville
D463,227 S * 9/2002 Choi D8/5
D501,378 S * 2/2005 Tatic D8/5

D501,379 S * 2/2005 Lipscomb et al. D8/5
7,178,245 B1 * 2/2007 Lee 30/254
D571,624 S * 6/2008 Huang D8/5
D584,121 S * 1/2009 Fancelli D8/52
D648,605 S * 11/2011 Lee D8/5
D652,699 S * 1/2012 Atnip et al. D8/5

FOREIGN PATENT DOCUMENTS

TW M393147 U 12/2010

* cited by examiner

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — patenttm.us


(57) **CLAIM**

We claim the ornamental design for a secateur, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the design for a secateur;
FIG. 2 is a right side view of the design of FIG. 1;
FIG. 3 is a left side view of the design of FIG. 1;
FIG. 4 is an operational left side view of the secateurs of FIG. 1 set in a widely open position with spring element removed; and,
FIG. 5 is an operation al left side view of the secateurs of FIG. 1 set in a less wide open position with spring element removed.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5