



US00D680832S

(12) **United States Design Patent**
Yukikado et al.

(10) **Patent No.:** **US D680,832 S**
(45) **Date of Patent:** **** Apr. 30, 2013**

(54) **TOOL FOR REPLACING BATTERY IN HEARING AID**

(75) Inventors: **Kouji Yukikado**, Ehime (JP); **Masaki Takemoto**, Ehime (JP)

(73) Assignee: **Panasonic Corporation**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/397,924**

(22) Filed: **Jul. 22, 2011**

(30) **Foreign Application Priority Data**

Feb. 9, 2011 (JP) 2011-002736

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/51**

(58) **Field of Classification Search** D8/14,
D8/51, 70.1, 98; 385/134-137

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,117,977	A *	6/1992	Voroba	206/704
5,199,565	A *	4/1993	Voroba	206/704
5,281,954	A *	1/1994	Harrison et al.	340/628
D369,079	S *	4/1996	Lisser	D8/88
D594,308	S *	6/2009	Davies et al.	D8/98
7,726,711	B1 *	6/2010	Steltzer	294/3

* cited by examiner

Primary Examiner — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a tool for replacing battery in hearing aid, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a tool for replacing battery in hearing aid of the present invention; FIG. 2 is a rear perspective view thereof; FIG. 3 is a front view thereof; FIG. 4 is a rear view thereof; FIG. 5 is a first side view thereof; FIG. 6 is a second side view thereof; FIG. 7 is a top view thereof; and, FIG. 8 is a bottom view thereof.

1 Claim, 7 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG.7




FIG.8

