



US00D681127S

(12) **United States Design Patent**  
**Ashida et al.**

(10) **Patent No.:** **US D681,127 S**  
(45) **Date of Patent:** **\*\* Apr. 30, 2013**

(54) **CONTROLLER FOR ELECTRONIC  
COMPUTER**

(75) Inventors: **Kenichiro Ashida**, Kyoto (JP); **Masato Ibuki**, Kyoto (JP); **Shinji Yamamoto**, Kyoto (JP); **Fumiyoshi Suetake**, Kyoto (JP); **Akiko Suga**, Kyoto (JP); **Naoya Yamamoto**, Kyoto (JP); **Hitoshi Tsuchiya**, Kyoto (JP); **Junji Takamoto**, Kyoto (JP); **Daisuke Kumazaki**, Kyoto (JP); **Yositomo Gotou**, Kyoto (JP); **Takanori Okamura**, Kyoto (JP)

(73) Assignee: **Nintendo Co., Ltd.**, Kyoto (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/407,699**

(22) Filed: **Dec. 1, 2011**

(30) **Foreign Application Priority Data**

Jun. 3, 2011 (JP) ..... 2011-012714  
Jun. 3, 2011 (JP) ..... 2011-012716  
Nov. 17, 2011 (JP) ..... 2011-026543  
Nov. 25, 2011 (JP) ..... 2011-027285

(51) **LOC (9) Cl.** ..... **21-01**

(52) **U.S. Cl.**  
USPC ..... **D21/328; D21/332; D21/333**

(58) **Field of Classification Search** ..... D21/324,  
D21/329, 330, 333; D14/496, 125; 273/148 B;  
463/1, 2, 29-36, 45, 47; 345/156, 173, 867,  
345/903; 361/679, 681, 672, 500

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,969,647 A \* 11/1990 Mical et al. .... 463/31  
D320,624 S \* 10/1991 Taylor ..... D21/331  
D325,225 S 4/1992 Adhida  
D350,782 S 9/1994 Barr  
D360,903 S 8/1995 Barr et al.  
5,769,719 A \* 6/1998 Hsu ..... 463/37  
6,042,478 A \* 3/2000 Ng ..... 463/44  
D487,466 S 3/2004 Yokota  
D522,011 S 5/2006 Hayes et al.  
7,193,165 B2 \* 3/2007 Kawanobe et al. .... 200/5 R  
D542,855 S \* 5/2007 Lim ..... D21/333  
D554,194 S 10/2007 Ehara et al.

(Continued)

*Primary Examiner* — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye, P.C.


(57) **CLAIM**

The ornamental design for a controller for electronic computer, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, left and top perspective view of a controller for electronic computer showing our new design;  
FIG. 2 is a rear, right and bottom perspective view thereof;  
FIG. 3 is a front elevational view thereof;  
FIG. 4 is a rear elevational view thereof;  
FIG. 5 is a top plan view thereof;  
FIG. 6 is a bottom plan view thereof;  
FIG. 7 is a left side elevational view thereof;  
FIG. 8 is a right side elevational view thereof;  
FIG. 9 is a front, left and top perspective view of a second embodiment of a controller for electronic computer;  
FIG. 10 is a rear, right and bottom perspective view of FIG. 9;  
FIG. 11 is a front elevational view of FIG. 9;  
FIG. 12 is a rear elevational view of FIG. 9;  
FIG. 13 is a top plan view of FIG. 9;  
FIG. 14 is a bottom plan view of FIG. 9;  
FIG. 15 is a left side elevational view of FIG. 9; and,  
FIG. 16 is a right side elevational view of FIG. 9.

**1 Claim, 6 Drawing Sheets**



# US D681,127 S

Page 2

---

U.S. PATENT DOCUMENTS			
D568,883 S	5/2008	Ashida et al.	
D570,349 S	6/2008	Ashida et al.	
D607,946 S	1/2010	Ehara et al.	
D620,939 S	8/2010	Suetake et al.	
D632,341 S *	2/2011	Lim et al. ....	D21/333 * cited by examiner
D641,049 S *	7/2011	Ehara et al. ....	D21/330
D643,476 S *	8/2011	Ehara et al. ....	D21/333
D650,447 S	12/2011	Ehara et al.	
8,105,169 B2 *	1/2012	Ogasawara et al. ....	463/46
D655,349 S	3/2012	Ehara et al.	

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16

