



US00D681248S

(12) **United States Design Patent**
Opolka

(10) **Patent No.:** **US D681,248 S**

(45) **Date of Patent:** **** Apr. 30, 2013**

(54) **FLASHLIGHT**

(75) Inventor: **Rainer Opolka**, Solingen (DE)

(73) Assignee: **Zweibrueder Optoelectronics GmbH**,
Solingen (DE)

(**) Term: **14 Years**

(21) Appl. No.: **29/381,901**

(22) Filed: **Dec. 24, 2010**

(30) **Foreign Application Priority Data**

Jun. 25, 2010 (EM) 001724253

Jun. 25, 2010 (EM) 001724444

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/49**

(58) **Field of Classification Search** D26/49,
D26/46, 37; 362/157, 158, 184, 202–206
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D253,494 S *	11/1979	Sit-Lae	D26/49
D308,109 S *	5/1990	Maglica et al.	D26/49
D368,147 S *	3/1996	Bamber et al.	D26/49
D371,214 S *	6/1996	Terry, Sr.	D26/49
D389,595 S *	1/1998	Hunter	D26/49
D417,022 S *	11/1999	Chiu	D26/49
D419,254 S *	1/2000	Chiu	D26/49
D445,926 S *	7/2001	Cheong	D26/37
D455,511 S *	4/2002	Chang	D26/46
D465,045 S *	10/2002	Yamamoto et al.	D26/49

(Continued)

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Andrew Wilford


(57) **CLAIM**

The ornamental design for a flashlight, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the invention;
 FIG. 2 is a side view of the invention, the other side being a mirror image thereof;
 FIG. 3 is bottom view of the invention;
 FIG. 4 is a front end view of the invention;
 FIG. 5 is a rear end view of the invention;
 FIG. 6 is a top view of a second embodiment of the invention;
 FIG. 7 is a side view of the second embodiment of the invention, the other side being a mirror image thereof;
 FIG. 8 is a bottom view of the second embodiment of the invention;
 FIG. 9 is a front end view of the second embodiment of the invention;
 FIG. 10 is a rear end view of the second embodiment of the invention;
 FIG. 11 is a top view of a third embodiment of the invention;
 FIG. 12 is a side view of the third embodiment of the invention, the other side being a mirror image thereof;
 FIG. 13 is a bottom view of the third embodiment of the invention;
 FIG. 14 is a front end view of the third embodiment of the invention;
 FIG. 15 is a rear end view of the third embodiment of the invention;
 FIG. 16 is a top view of a fourth embodiment of the invention;
 FIG. 17 is a side view of the fourth embodiment of the invention, the other side being a mirror image thereof;
 FIG. 18 is a bottom view of the fourth embodiment of the invention;
 FIG. 19 is a front end view of the fourth embodiment of the invention; and,
 FIG. 20 is a rear end view of the fourth embodiment of the invention.

1 Claim, 4 Drawing Sheets



US D681,248 S

Page 2

U.S. PATENT DOCUMENTS

D495,442 S *	8/2004	Packard	D26/37	D557,840 S *	12/2007	Shiu	D26/37
D497,020 S *	10/2004	Lee	D26/49	D563,007 S *	2/2008	Opolka	D26/49
D501,055 S *	1/2005	Packard	D26/37	D576,757 S *	9/2008	Hesse et al.	D26/49
D504,529 S *	4/2005	Vickers et al.	D26/37	D593,240 S *	5/2009	Caniparoli	D26/49
D505,506 S *	5/2005	Kolflat	D26/37	D601,285 S *	9/2009	Chen	D26/49
D515,719 S *	2/2006	Shiu	D26/37	D629,546 S *	12/2010	Deguglimo et al.	D26/49
D521,666 S *	5/2006	Chean	D26/37	D637,748 S *	5/2011	Caniparoli	D26/49
D523,981 S *	6/2006	Galli	D26/37	D643,561 S *	8/2011	Maglica	D26/49
D557,836 S *	12/2007	Shiu	D26/37	D667,976 S *	9/2012	Wu	D26/49

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20