



US00D681324S

(12) **United States Design Patent**
Mohr

(10) **Patent No.:** **US D681,324 S**

(45) **Date of Patent:** **** May 7, 2013**

(54) **BACKPACK**

(76) Inventor: **Cheryl L. Mohr**, Mt. Calvary, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/392,031**

(22) Filed: **May 16, 2011**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/217; D3/216**

(58) **Field of Classification Search** D3/214,
D3/215, 216, 217, 270; D2/830; 224/153,
224/576, 577, 578

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,767,039	A *	8/1988	Jacober	224/153
5,361,951	A *	11/1994	Chehebar	224/153
5,409,152	A *	4/1995	Trevino	224/576
D375,402	S *	11/1996	Yeh	D3/217
D382,110	S *	8/1997	Pollari	D3/217
D387,198	S *	12/1997	Lehmann et al.	D3/217
D396,745	S *	8/1998	Peterson	D3/216
D402,460	S *	12/1998	Moor	D3/217
D432,298	S *	10/2000	Markowitz	D3/217
D448,160	S *	9/2001	Sijmons et al.	D3/216
D451,274	S *	12/2001	Kegels	D3/217
D456,601	S *	5/2002	Kegels	D3/217
D457,306	S *	5/2002	Szyf	D3/217
D457,307	S *	5/2002	Pukall et al.	D3/217
D469,952	S *	2/2003	Daglow et al.	D3/216
D479,648	S *	9/2003	De Lathouwer	D3/216
D483,940	S *	12/2003	Dolan	D3/217
6,655,565	B2 *	12/2003	Godshaw et al.	224/653
D487,189	S *	3/2004	Ukitsu et al.	D3/217
6,712,249	B2 *	3/2004	Magnusson et al.	224/576
D489,174	S *	5/2004	Shigenaka et al.	D3/217
D500,590	S *	1/2005	Sachen	D3/216
D543,021	S *	5/2007	Lee et al.	D3/217

D550,449	S *	9/2007	Gossett	D3/217
D553,349	S *	10/2007	Aliberti et al.	D3/216
D557,009	S *	12/2007	Elmberg et al.	D3/217
D569,099	S *	5/2008	Gossett	D3/217
D603,157	S *	11/2009	Hutchinson	D3/217
D605,397	S *	12/2009	Shor et al.	D3/217
7,757,911	B2 *	7/2010	Barker	224/153
D673,363	S *	1/2013	Crandall	D3/217
2002/0139820	A1 *	10/2002	Godshaw et al.	224/153
2007/0045370	A1 *	3/2007	Hsieh	224/576
2007/0058887	A1 *	3/2007	Godshaw et al.	383/104

(Continued)

Primary Examiner — T. Chase Nelson

(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince

(57) **CLAIM**

I claim the ornamental design for a backpack, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a backpack, showing my new design with a plurality of pockets each in a closed configuration;

FIG. 2 is a front elevational view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a left-side elevational view thereof;

FIG. 7 is a right-side elevational view thereof;

FIG. 8 is a perspective view thereof, illustrated with several of the pockets in an open position;



FIG. 9 is a left-side elevational view of FIG. 8;

FIG. 10 is a front elevational view of FIG. 8; and,

FIG. 11 is a right-side elevational view of FIG. 8.

The broken lines showing items in pockets in FIGS. 8-11 depict environmental matter and form no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D681,324 S

Page 2

U.S. PATENT DOCUMENTS

2007/0062994	A1 *	3/2007	Shoemaker et al.	224/576	2009/0201671	A1 *	8/2009	Huntley	362/108
2007/0164064	A1 *	7/2007	Nathan	224/153	2010/0140307	A1 *	6/2010	Almoumen	224/155
2008/0011799	A1 *	1/2008	Chang	224/576	* cited by examiner				

FIG. 1




FIG. 6




FIG. 7

