



US00D681503S

(12) **United States Design Patent**
McDaniel

(10) **Patent No.:** **US D681,503 S**

(45) **Date of Patent:** **** May 7, 2013**

(54) **SEAT BELT FOR ANIMALS**

(71) Applicant: **Mark A. McDaniel**, Loma Linda, CA
(US)

(72) Inventor: **Mark A. McDaniel**, Loma Linda, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/435,404**

(22) Filed: **Oct. 23, 2012**

(51) **LOC (9) Cl.** **02-07**

(52) **U.S. Cl.**
USPC **D11/200**

(58) **Field of Classification Search** D11/1-2,
D11/200-201, 206-210, 214-218; 24/163 R,
24/169-171, 173, 177-179, 191, 194-195,
24/197, 200, 614-616, 3.4; D30/152; 119/795;
280/801.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D240,143 S	6/1976	Francis	
4,252,084 A	2/1981	Willow	
D296,484 S *	6/1988	Mathiesen	D2/627
4,827,876 A	5/1989	Krekelberg	
4,899,694 A	2/1990	Belluomini	
4,958,597 A	9/1990	Mildner	
5,230,451 A *	7/1993	Onozawa	224/194
D343,032 S	1/1994	Carrero	
D360,711 S	7/1995	O'Neill	
5,483,925 A	1/1996	Childress	
D367,245 S *	2/1996	Triplett et al.	D11/216

5,624,135 A *	4/1997	Symonds	280/801.1
D379,688 S	6/1997	Werner	
6,260,513 B1	7/2001	Younkin	
D535,911 S *	1/2007	Crisco	D11/200
D562,123 S *	2/2008	Jackson	D8/394
D569,306 S *	5/2008	Taylor	D11/200
D628,122 S *	11/2010	Sanders	D11/200
D664,890 S *	8/2012	Featherston	D11/201
2007/0006819 A1	1/2007	Gilbert-Brindley	

* cited by examiner

Primary Examiner — Ralf Seifert

(74) *Attorney, Agent, or Firm* — QuickPatents; Kevin Prince


(57) **CLAIM**

I claim the ornamental design for a seat belt for animals, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a seat belt for animals, showing my new design in a collapsed configuration with an excess portion of one strap in a bundled configuration and the excess portion of a second strap in an extended configuration; FIG. 2 is a top plan view thereof, illustrated with the excess portion of each strap in the bundled configuration; FIG. 3 is a bottom plan view of FIG. 2; FIG. 4 is a right-side elevational view of FIG. 2, the left-side elevational view being a mirror image thereof; FIG. 5 is a front elevational view of FIG. 2; FIG. 6 is a rear elevational view of FIG. 2; FIG. 7 is a top plan view thereof, illustrated in a combined configuration requiring only a single handle, the other handle separated for being stored; and, FIG. 8 is a top plan view thereof, illustrated in an extended configuration.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7

FIG. 8