



US00D681768S

(12) **United States Design Patent**  
**Ross, Jr. et al.**

(10) **Patent No.:** **US D681,768 S**

(45) **Date of Patent:** **\*\* May 7, 2013**

(54) **PERSONAL SECURITY DEVICE**

(75) Inventors: **Charles A. Ross, Jr.**, Olathe, KS (US);  
**Steven L. Phillips**, Olathe, KS (US);  
**Keith E. Pierce**, Stilwell, KS (US)

(73) Assignee: **Guardian 8 Corporation**, Scottsdale,  
AZ (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/398,762**

(22) Filed: **Aug. 4, 2011**

(51) **LOC (9) Cl.** ..... **22-02**

(52) **U.S. Cl.**  
USPC ..... **D22/117**

(58) **Field of Classification Search** ..... D22/117-120;  
222/78-79, 153.03, 153.11, 402.1, 402.11,  
222/504; 42/1.08, 1.09, 1.12  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D215,934 S \* 11/1969 Litman ..... D22/117  
D360,674 S \* 7/1995 McClean ..... D22/117  
D375,994 S \* 11/1996 Collins et al. .... D22/117

D573,223 S \* 7/2008 Kostal et al. .... D22/117  
D585,520 S \* 1/2009 Teig ..... D22/117  
D636,050 S \* 4/2011 Kaufman ..... D22/117

\* cited by examiner

*Primary Examiner* — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — William R Bachand

(57) **CLAIM**

The ornamental design for a personal security device, as shown and described.

**DESCRIPTION**

FIG. 1 is a left side view of the security device showing our new design, the phantom lines therein not being part of the design;

FIG. 2 is a rear view of the device shown in FIG. 1, the phantom lines therein not being part of the design;

FIG. 3 is a right side view of the device shown in FIG. 1, the phantom lines therein not being part of the design;


FIG. 4 is a front view of the device shown in FIG. 1, the phantom lines therein not being part of the design;


FIG. 5 is a top view of the device as shown in FIG. 2, the phantom lines therein not being part of the design;

FIG. 6 is a bottom view of the device as shown in FIG. 4; and,


FIG. 7 is a perspective view of the device, as shown in FIG. 3 as rotated clockwise approximately 45° about a central vertical axis, the phantom lines therein not being part of the design.

**1 Claim, 2 Drawing Sheets**







*Fig. 1*




*Fig. 2*




*Fig. 3*




*Fig. 4*



*Fig. 5*



*Fig. 6*



*Fig. 7*