



US00D681945S

(12) **United States Design Patent**
Willows et al.

(10) **Patent No.:** **US D681,945 S**
(45) **Date of Patent:** **** May 14, 2013**

(54) **POUCH**

DESCRIPTION

(75) Inventors: **Keith S. Willows**, Seattle, WA (US);
June A. Angus, Seattle, WA (US);
Antonio Del Rosario, Bellevue, WA
(US)

(73) Assignee: **Amphipod, Inc.**, Seattle, WA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/431,634**

(22) Filed: **Sep. 10, 2012**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/429,460,
filed on Aug. 10, 2012.

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/226**

(58) **Field of Classification Search** D3/226,
D3/201, 205, 215, 218-219, 232-233, 247-249;
224/217, 219, 222, 267, 269, 664, 667, 669,
224/676-677, 934; 383/63, 111, 113
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D249,592 S * 9/1978 Libonati D3/226
D409,380 S 5/1999 Angus et al.

(Continued)

Primary Examiner — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Lowe Graham Jones PLLC

(57) **CLAIM**

We claim the ornamental design for the pouch, as shown and
described.

FIGS. 1-7 illustrate a first embodiment of a pouch, showing
our new design.

FIG. 1 is a perspective view of the pouch.

FIG. 2 is a front view of the pouch.

FIG. 3 is a left side view of the pouch.

FIG. 4 is a right side view of the pouch.

FIG. 5 is a top view of the pouch.

FIG. 6 is a bottom view of the pouch.

FIG. 7 is a rear view of the pouch.

FIGS. 8-13 illustrate a second embodiment of the pouch.

FIG. 8 is a front view of the pouch.

FIG. 9 is a left side view of the pouch.

FIG. 10 is a right side view of the pouch.

FIG. 11 is a top view of the pouch.

FIG. 12 is a bottom view of the pouch.

FIG. 13 is a rear view of the pouch.

FIGS. 2-6 and 13 combine to form a third embodiment of the
pouch.

FIG. 2 is a front view of the pouch.

FIG. 3 is a left side view of the pouch.

FIG. 4 is a right side view of the pouch.

FIG. 5 is a top view of the pouch.

FIG. 6 is a bottom view of the pouch.

FIG. 13 is a rear view of the pouch.

FIGS. 8-12 and 7 combine to form a fourth embodiment of the
pouch.

FIG. 8 is a front view of the pouch.

FIG. 9 is a left side view of the pouch.

FIG. 10 is a right side view of the pouch.


FIG. 11 is a top view of the pouch.

FIG. 12 is a bottom view of the pouch; and,

FIG. 7 is a rear view of the pouch.

Features illustrated in phantom lines are intended to show a
preferred environment for the pouch and form no part of
claimed invention. Aspects illustrated in phantom lines
include a logo tab as visible each of the figures; a zipper and
zipper pull as visible in FIGS. 1, 3-5, and 9-11; a belt and
buckle as visible in each of the figures; holes formed in a back
panel material as visible in FIGS. 7 and 13; and holes formed
in the bottom of the pouch as visible in FIGS. 6 and 12.

1 Claim, 9 Drawing Sheets



US D681,945 S

Page 2

U.S. PATENT DOCUMENTS								
					D467,079	S	12/2002	Willows et al.
D415,892	S	11/1999	Angus et al.		D484,307	S	12/2003	Willows et al.
D417,953	S *	12/1999	Guy et al.	D3/226	6,698,636	B2	3/2004	Angus et al.
D447,623	S *	9/2001	Troska	D3/215	D515,805	S *	2/2006	Jones D3/215
D448,925	S	10/2001	Willows et al.		D663,950	S *	7/2012	Willows et al. D3/226
D458,021	S	6/2002	Willows et al.		* cited by examiner			




FIG.1




FIG. 2




FIG.3




FIG.4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG.9




FIG.10




FIG.11



FIG.12




FIG.13