



US00D682247S

(12) **United States Design Patent**  
**Tanaka**

(10) **Patent No.:** **US D682,247 S**

(45) **Date of Patent:** **\*\* May 14, 2013**

(54) **RELAY DEVICE**

(71) Applicant: **Yamaha Corporation**, Hamamatsu (JP)

(72) Inventor: **Kenshiro Tanaka**, Tokyo (JP)

(73) Assignee: **Yamaha Corporation**, Shizuoka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/438,170**

(22) Filed: **Nov. 27, 2012**

(30) **Foreign Application Priority Data**

Jun. 8, 2012 (JP) ..... 2012-013629

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D14/155**

(58) **Field of Classification Search** ..... D14/167,  
D14/154, 168, 188, 496, 156, 160, 161, 162,  
D14/163, 164, 165, 158, 341, 346, 342, 345,  
D14/155, 218, 225; D16/208; D26/38; 455/351,  
455/350, 575.1, 556.1; D10/104, 106, 65,  
D10/57

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D322,963 S \* 1/1992 Kittirutsunetorn ..... D14/242  
D362,240 S \* 9/1995 Heidorn et al. .... D14/357  
D380,199 S \* 6/1997 Beruscha et al. .... D13/184  
5,801,383 A \* 9/1998 Wada et al. .... 250/332

D413,578 S \* 9/1999 Larson et al. .... D13/152  
D464,045 S \* 10/2002 Bohne ..... D14/240  
6,977,746 B2 \* 12/2005 Silverbrook et al. .... 358/1.15  
D518,469 S \* 4/2006 Barad ..... D14/155  
7,057,819 B1 \* 6/2006 Maheshwari ..... 359/571  
D535,279 S \* 1/2007 Krieger et al. .... D14/155  
D535,651 S \* 1/2007 Wong et al. .... D14/240  
D540,793 S \* 4/2007 Kim et al. .... D14/358  
7,518,503 B2 \* 4/2009 Peele ..... 340/539.11  
D600,232 S \* 9/2009 Lee ..... D14/188  
D609,687 S \* 2/2010 Lyman et al. .... D14/155  
D640,243 S \* 6/2011 Murakami ..... D14/240  
8,164,919 B2 \* 4/2012 Hsieh ..... 361/788

\* cited by examiner

*Primary Examiner* — Austin Murphy

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a relay device, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the front, top and right side of a relay device showing my new design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;


FIG. 4 is a right side view thereof, the left side being a mirror image;

FIG. 5 is a top plan view thereof; and,

FIG. 6 is a bottom view thereof.

The broken line showing of the relay device is included for the purpose of illustrating portions of the relay device and forms no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4






FIG. 5




FIG. 6