



US00D682381S

(12) **United States Design Patent**  
**Napieraj**

(10) **Patent No.:** **US D682,381 S**

(45) **Date of Patent:** **\*\* May 14, 2013**

(54) **COMBINED AWNING AND TENT**

(76) Inventor: **Roman W. Napieraj**, St. Catharines  
(CA)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/346,727**

(22) Filed: **Nov. 5, 2009**

(30) **Foreign Application Priority Data**

May 22, 2009 (CA) ..... 130818

(51) **LOC (9) Cl.** ..... **21-04**

(52) **U.S. Cl.**  
USPC ..... **D21/834**

(58) **Field of Classification Search** ..... D21/834,  
D21/836-839; D25/13, 16, 17, 18, 20, 26,  
D25/32, 56, 57; 135/87, 90, 96-99, 121,  
135/124-128, 135, 143, 157, 117, 900, 908,  
135/115; 296/158-161

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,230,454 A \* 2/1941 Friesner et al. .... 135/117  
D562,930 S \* 2/2008 Poulson et al. .... D21/834  
D605,723 S \* 12/2009 Rausch et al. .... D21/834  
D624,623 S \* 9/2010 Viglione ..... D21/839

**FOREIGN PATENT DOCUMENTS**

CA 130818 8/2010

\* cited by examiner

*Primary Examiner* — Cynthia M Chin

(74) *Attorney, Agent, or Firm* — Dunlap Coddling, P.C.



(57) **CLAIM**

The ornamental design for a combined awning and tent, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the combined awning and tent illustrating the present design, with the interior window storm flaps and one screen shown in the open position; FIG. 2 is a front perspective view of the design shown in FIG. 1, with the interior window storm flaps and screens shown in the closed position; FIG. 3 is a back perspective view of the design shown in FIG. 1, with the interior window storm flaps and one screen shown in the open position; FIG. 4 is a front perspective view of the design shown in FIG. 1; FIG. 5 is a front perspective view of the interior tent element shown in FIG. 1 without the awning; FIG. 6 is a left side view of the design shown in FIG. 1, with the interior storm flaps and screens shown in the closed position, the right side being a mirror thereof; FIG. 7 is a left side view of the design shown in FIG. 1, with the interior storm flaps and screens shown in the closed position, the right side being a mirror image thereof; FIG. 8 is a front perspective view of the awning shown in FIG. 1 without the interior tent element therein, with the screens shown in a closed position; and, FIG. 9 is a front perspective view of the interior tent element shown in FIG. 1 without the awning, with the screen shown in a closed position.

**1 Claim, 7 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9