



US00D682427S

(12) **United States Design Patent**
Farris et al.

(10) **Patent No.:** **US D682,427 S**
(45) **Date of Patent:** **** May 14, 2013**

(54) **CERVICAL INTERBODY SPACER IMPLANT**

(75) Inventors: **Jeffrey Farris**, Berne, IN (US); **Heidi Rorick**, Monroeville, IN (US); **Matthew Hedrick**, Carmel, IN (US); **John Williams**, Fort Wayne, IN (US); **Greg Hoffman**, Fort Wayne, IN (US); **Alan McGee**, Fort Wayne, IN (US); **Daniel Refai**, Atlanta, GA (US); **John Gorup**, West Lafayette, IN (US)

(73) Assignee: **Nanovis, LLC**, Columbia City, IN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/418,891**

(22) Filed: **Apr. 23, 2012**

(51) **LOC (9) Cl.** **24-02**

(52) **U.S. Cl.**
USPC **D24/155**

(58) **Field of Classification Search** D24/155,
D24/156, 133, 152, 154, 135, 144-146, 151;
606/194, 198; 623/23.54, 23.7, 1.15, 903;
604/1.02, 103.02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D553,742 S *	10/2007	Park	D24/155
D580,552 S *	11/2008	Cohen et al.	D24/155
D595,853 S *	7/2009	Hanson et al.	D24/155
D611,147 S *	3/2010	Hanson et al.	D24/155
D615,653 S *	5/2010	Horton	D24/155
D623,747 S *	9/2010	Horton	D24/155

D623,748 S *	9/2010	Horton et al.	D24/155
D623,749 S *	9/2010	Horton et al.	D24/155
D627,468 S *	11/2010	Richter et al.	D24/155
D631,967 S *	2/2011	Horton	D24/155
D637,721 S *	5/2011	Horton	D24/155

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Charles Hanson

(74) *Attorney, Agent, or Firm* — Heslin Rothenberg Farley & Mesiti P.C.

(57) **CLAIM**

The ornamental design for a cervical interbody spacer implant, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the cervical interbody spacer implant comprising the new design, showing the center hole and connector hole in phantom;

FIG. 2 is a side perspective view of the design of FIG. 1 showing the center hole and connector hole in phantom;

FIG. 3 is a top view of the design of FIG. 1 showing the center hole and connector hubs;

FIG. 4 is a bottom of the design of FIG. 1 showing the center hole and connector hubs in phantom;


FIG. 5 is a left side elevational view of the design of FIG. 1, where the right side elevational view is a mirror image;

FIG. 6 is a back elevational view of the design of FIG. 1; and,

FIG. 7 is a front elevational view of the design of FIG. 1 showing the connector hole and hubs in phantom.

The broken lines in the figures are for illustrative purposes only and form no part of the claimed invention.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7