



US00D682650S

(12) **United States Design Patent**
Kawase et al.

(10) **Patent No.:** **US D682,650 S**
(45) **Date of Patent:** **** May 21, 2013**

(54) **PORTABLE ELECTRIC DRIVER DRILL**

(75) Inventors: **Tomonori Kawase**, Anjo (JP); **Kazunori Hattori**, Anjo (JP); **Takeshi Kamiya**, Anjo (JP)

(73) Assignee: **Makita Corporation**, Anjo-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/413,277**

(22) Filed: **Feb. 14, 2012**

(30) **Foreign Application Priority Data**

Sep. 6, 2011 (JP) 2011-020318

(51) **LOC (9) Cl.** **08-04**

(52) **U.S. Cl.**
USPC **D8/68; D8/61**

(58) **Field of Classification Search** D8/61,
D8/68; 173/46, 132, 170, 171, 178, 217;
475/149; 408/67, 117, 124, 125
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D510,007	S	*	9/2005	Yamamoto		D8/68
D525,505	S	*	7/2006	Ito et al.		D8/68
D527,971	S	*	9/2006	Kokawa		D8/68
D536,591	S	*	2/2007	Ghode et al.		D8/68
D539,110	S	*	3/2007	Okuda		D8/68
D587,083	S	*	2/2009	Misaki		D8/68
D587,084	S	*	2/2009	Van Wambeke		D8/68
D589,317	S	*	3/2009	Okuda		D8/68
D593,831	S	*	6/2009	Van Wambeke et al.		D8/68
D605,014	S	*	12/2009	Yamamoto		D8/68
D607,705	S	*	1/2010	Murray		D8/68
D608,173	S	*	1/2010	Ng et al.		D8/68
D608,175	S	*	1/2010	Netzler		D8/68
D609,072	S	*	2/2010	Van Wambeke		D8/68
D610,419	S	*	2/2010	Aoki et al.		D8/68
D610,422	S	*	2/2010	Houghton		D8/68

D611,319	S	*	3/2010	Van Wambeke et al.		D8/68
D617,621	S	*	6/2010	Houghton et al.		D8/68
D618,975	S	*	7/2010	Yamamoto		D8/68
D628,039	S	*	11/2010	Aoki et al.		D8/68
D642,038	S	*	7/2011	Murray		D8/68

(Continued)

Primary Examiner — Philip S Hyder

Assistant Examiner — John T Applewhite

(74) *Attorney, Agent, or Firm* — Global IP Counselors, LLP

(57) **CLAIM**

The ornamental design for a portable electric driver drill, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a portable electric driver drill in accordance with our new design;

FIG. 2 is a rear perspective view of the portable electric driver drill in accordance with our new design;

FIG. 3 is a front elevational view of the portable electric driver drill in accordance with our new design;

FIG. 4 is a rear elevational view of the portable electric driver drill in accordance with our new design;

FIG. 5 is a top plan view of the portable electric driver drill in accordance with our new design;

FIG. 6 is a bottom plan view of the portable electric driver drill in accordance with our new design;


FIG. 7 is a right side elevational view of the portable electric driver drill in accordance with our new design;

FIG. 8 is a left side elevational view of the portable electric driver drill in accordance with our new design; and,

FIG. 9 is a front perspective view of the portable electric driver drill in accordance with our new design illustrating a state in which a battery is attached to the portable electric driver drill.

The broken line showing of environment in FIGS. 1-9 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 9 Drawing Sheets



US D682,650 S

Page 2

U.S. PATENT DOCUMENTS					D670,989 S *	11/2012	Kawase et al.	D8/68
D643,270 S *	8/2011	Hayakawa et al.	D8/68		D673,436 S *	1/2013	Murray et al.	D8/68
D644,495 S *	9/2011	Misaki et al.	D8/68					
D646,947 S *	10/2011	Lopano	D8/68	* cited by examiner				




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9