



US00D682723S

(12) **United States Design Patent**
Pulido

(10) **Patent No.:** **US D682,723 S**

(45) **Date of Patent:** **** May 21, 2013**

(54) **DISTRESS SIGNAL LIGHT**

(71) Applicant: **Carlos Pulido**, Miami, FL (US)

(72) Inventor: **Carlos Pulido**, Miami, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/439,552**

(22) Filed: **Dec. 12, 2012**

(51) **LOC (9) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/114.2**

(58) **Field of Classification Search**
USPC D10/114.1, 114.2, 114.9, 111; D26/37,
D26/40, 49; 340/815.45; 362/267
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D223,967 S * 6/1972 Petrucelli D10/114.2
D267,157 S * 12/1982 Kong D10/114.2
D552,001 S * 10/2007 Fornt D10/111

D572,852 S * 7/2008 Niven D26/37
D599,045 S * 8/2009 Castellucci et al. D26/37
D668,806 S * 10/2012 Chapman et al. D26/49

* cited by examiner



Primary Examiner — George D Kirschbaum
(74) *Attorney, Agent, or Firm* — Sanchelima & Associates,
P.A.

(57) **CLAIM**
The ornamental design for distress signal light, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view thereof;
FIG. 2 is a rear elevational view thereof;
FIG. 3 is a side elevational view thereof;
FIG. 4 is a top elevational view thereof; and,
FIG. 5 is a bottom elevational view thereof.
The broken line showing of a carbiner is included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5