



US00D682723S

(12) **United States Design Patent**  
**Pulido**

(10) **Patent No.:** **US D682,723 S**  
(45) **Date of Patent:** **\*\* May 21, 2013**

(54) **DISTRESS SIGNAL LIGHT**

(71) Applicant: **Carlos Pulido**, Miami, FL (US)

(72) Inventor: **Carlos Pulido**, Miami, FL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/439,552**

(22) Filed: **Dec. 12, 2012**

(51) **LOC (9) Cl.** ..... **10-05**

(52) **U.S. Cl.**  
USPC ..... **D10/114.2**

(58) **Field of Classification Search**  
USPC ..... D10/114.1, 114.2, 114.9, 111; D26/37,  
D26/40, 49; 340/815.45; 362/267  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D223,967 S \* 6/1972 Petrucelli ..... D10/114.2  
D267,157 S \* 12/1982 Kong ..... D10/114.2  
D552,001 S \* 10/2007 Fornt ..... D10/111

D572,852 S \* 7/2008 Niven ..... D26/37  
D599,045 S \* 8/2009 Castellucci et al. .... D26/37  
D668,806 S \* 10/2012 Chapman et al. .... D26/49

\* cited by examiner



*Primary Examiner* — George D Kirschbaum  
(74) *Attorney, Agent, or Firm* — Sanchelima & Associates,  
P.A.

(57) **CLAIM**  
The ornamental design for distress signal light, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view thereof;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a side elevational view thereof;  
FIG. 4 is a top elevational view thereof; and,  
FIG. 5 is a bottom elevational view thereof.  
The broken line showing of a carbiner is included for the purpose of illustrating portions of the “article” and forms no part of the claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5