



US00D682903S

(12) **United States Design Patent**
Bratt

(10) **Patent No.:** **US D682,903 S**
(45) **Date of Patent:** **** May 21, 2013**

(54) **FIXED FOCUS MICROSCOPE WITH A
REMOVABLE MOUNT FOR A MOBILE
PHONE CAMERA**

(76) **Inventor:** **Nicholas E Bratt**, Edmonds, WA (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/423,040**

(22) **Filed:** **May 25, 2012**

(51) **LOC (9) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/131**

(58) **Field of Classification Search**
USPC D16/131, 136, 242, 245; D14/217,
D14/507, 509; 359/368, 369, 363, 372, 385,
359/391, 392, 382, 383, 384, 390, 430, 399,
359/353, 402, 403, 405, 407, 409, 411, 412,
359/813, 814, 818, 819; 600/173

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,808,761	A *	10/1957	De Grave, Jr.	359/503
D226,283	S *	2/1973	Shield	D16/131
D257,358	S *	10/1980	Armbruster	D16/131
4,361,377	A *	11/1982	Pullen	359/385
4,737,016	A *	4/1988	Russell et al.	359/801
4,812,029	A *	3/1989	Onanhian	359/383
D331,934	S *	12/1992	Tak	D16/131
D433,430	S *	11/2000	Meinzer	D16/132
D537,459	S *	2/2007	Yip et al.	D16/131
D544,008	S *	6/2007	Stewart	D16/135
D564,553	S *	3/2008	Yip et al.	D16/131
D564,554	S *	3/2008	Shih et al.	D16/131
D626,162	S *	10/2010	Suzuki et al.	D16/131
D657,407	S *	4/2012	Okamoto et al.	D16/131
D663,338	S *	7/2012	Okamoto et al.	D16/131

* cited by examiner

Primary Examiner — Paula Greene

(57) **CLAIM**

The ornamental design for a fixed focus microscope with a removable mount for a mobile phone camera, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a fixed focus microscope with removable mount for mobile phone camera showing my new design, the fixed focus microscope is shown separately for purposes of illustration;

FIG. 2 is a perspective view of the microscope with the camera mount.

FIG. 3 is a left side view of the microscope without the camera mount.

FIG. 4 is a left side view of the microscope with the camera mount.

FIG. 5 is a top view of the microscope without the camera mount.

FIG. 6 is a bottom view of the microscope without the camera mount.

FIG. 7 is a top view of the microscope with the camera mount.

FIG. 8 is a bottom view of the microscope with the camera mount.

FIG. 9 is a front, elevation view of the microscope without the camera mount.

FIG. 10 is a back, elevation view of the microscope without the camera mount.

FIG. 11 is front, elevation view of the microscope with the camera mount.



FIG. 12 is a front, elevation view of the microscope with the camera mount.

FIG. 13 is a right side view of the microscope without the camera mount; and,

FIG. 14 is a right side view of the microscope with the camera mount.

My microscope is characterized by its vertical eyepiece orientation and its inverted vertical objective lens orientation in a slim housing rounded at either end with a LED light source positioned directly above the objective in a pocketed area of the substantially symmetrical shape. It has a recessed power switch on one side and a recessed label area on the other side. The removable camera mount has a recessed label area and rubber bumpers on the top surface.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 7



Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14