



US00D682947S

(12) **United States Design Patent**
Akama et al.

(10) **Patent No.:** **US D682,947 S**

(45) **Date of Patent:** **** May 21, 2013**

(54) **EXTENDED CONTROL DEVICE FOR PORTABLE ELECTRONIC COMPUTER**

(75) Inventors: **Tetsuya Akama**, Kyoto (JP); **Yuki Tanaguchi**, Kyoto (JP); **Munetaka Nishikawa**, Kyoto (JP)

(73) Assignee: **Nintendo, Co., Ltd.**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/413,073**

(22) Filed: **Feb. 10, 2012**

(30) **Foreign Application Priority Data**

Aug. 10, 2011 (JP) 2011-018334

(51) **LOC (9) Cl.** **21-01**

(52) **U.S. Cl.**
USPC **D21/333**

(58) **Field of Classification Search** D21/324-333, D21/369, 385; 273/148 B, 148 R, 461; D14/495, D14/338, 339, 348, 356, 432, 433, 471, 474, D14/137, 160, 168, 188-181, 203.1-203.8, D14/219, 265, 257; 345/156-161, 1.1; 455/344-351; 369/6-12; 463/1, 29-35, 463/46, 47; 16/321, 337; 248/176.1, 915, 248/921; 285/188, 231-234, 304, 330
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,046,729 A * 9/1991 Yancey 473/455
5,209,478 A * 5/1993 Simpson 273/148 B
6,085,204 A * 7/2000 Chijiwa et al. 715/246
D484,918 S * 1/2004 Okada et al. D21/330
6,850,407 B2 * 2/2005 Tanimoto et al. 361/679.27

D555,667 S * 11/2007 Hussaini et al. D14/496
D605,233 S * 12/2009 Ashida et al. D21/333
D610,625 S * 2/2010 Guinchard et al. D21/333
D637,236 S * 5/2011 Lum et al. D21/333
D641,022 S * 7/2011 Dodo et al. D14/401
D641,024 S 7/2011 Zenri et al.
D643,476 S * 8/2011 Ehara et al. D21/333
D650,448 S 12/2011 Zenri et al.
D655,351 S 3/2012 Zenri et al.
D656,555 S 3/2012 Zenri et al.
D666,250 S * 8/2012 Fulghum et al. D21/333

OTHER PUBLICATIONS

Design U.S. Appl. No. 29/405,245, filed Oct. 31, 2011 (pending).

* cited by examiner

Primary Examiner — Prabhakar Deshmukh

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye, P.C.

(57) **CLAIM**

The ornamental design for an extended control device for portable electronic computer, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an extended control device for portable electronic computer showing our new design; FIG. 2 is a top plan view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a bottom plan view thereof; FIG. 5 is a right side view thereof; FIG. 6 is a left side view thereof; FIG. 7 is a front perspective view thereof; FIG. 8 is a rear perspective view thereof; and, FIG. 9 is a perspective view thereof, shown in its environmental use.

The broken lines environment is for illustrative purpose only and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets




FIG.1




FIG.2



FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8





FIG.9



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D682,947 S
APPLICATION NO. : 29/413073
DATED : May 21, 2013
INVENTOR(S) : Tetsuya Akama et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title page, change Item “(75) Inventors: Tetsuya Akama, Kyoto (JP); Yuki Tanaguchi, Kyoto (JP); Munetaka Nishikawa, Kyoto (JP)” to

--(75) Inventors: Tetsuya Akama, Kyoto (JP); Yuki Taniguchi, Kyoto (JP); Munetaka Nishikawa, Kyoto (JP)--

Signed and Sealed this
First Day of April, 2014



Michelle K. Lee
Deputy Director of the United States Patent and Trademark Office