



US00D682982S

(12) **United States Design Patent**
Wood et al.

(10) **Patent No.:** **US D682,982 S**

(45) **Date of Patent:** **** May 21, 2013**

(54) **PROPANE BOTTLE BASE**

(76) Inventors: **Gerald A. Wood**, Peyton, CO (US);
Elizabeth G. Wood, Peyton, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/418,940**

(22) Filed: **Apr. 24, 2012**

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/206**

(58) **Field of Classification Search** D23/206;
211/71.01; 248/346.01, 346.03, 346.05,
248/146

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,932,621	A *	6/1990	Kowk	248/146
D385,615	S *	10/1997	St-Louis	D23/206
5,836,554	A *	11/1998	Lesage	248/152
D523,518	S *	6/2006	Moldenhauer	D23/206
7,131,618	B2 *	11/2006	Berry et al.	248/346.05
D641,064	S *	7/2011	Cogswell et al.	D23/206
D665,871	S *	8/2012	Coupe et al.	D23/206

* cited by examiner

Primary Examiner — Robin V Webster

(74) *Attorney, Agent, or Firm* — G. F. Gallinger

(57) **CLAIM**

The ornamental design for a propane bottle base, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a propane bottle base.

FIG. 2 is a plan view of the propane bottle base shown in FIG. 1.

FIG. 3 is a bottom view of the propane bottle base shown in FIG. 1.

FIG. 4 is an elevation of the propane bottle base shown in FIG. 1. The front, back left and right side elevations are identical.

FIG. 5 is a perspective view of a propane tank sitting in and on the propane bottle base shown in FIG. 1. The propane tank is elevated above a supporting surface to prevent bottom rust on the tank. The bolts spaced around the holding rim are tightened against the bottle maintaining it in an upright position.



FIG. 6 is a perspective view of an alternative embodiment of a propane bottle base used to support a propane bottle directly on a dry supporting surface.

FIG. 7 is a plan view of the alternative embodiment of the propane bottle base shown in FIG. 6 used to support a propane bottle directly on a dry supporting surface.

FIG. 8 is a bottom view of the alternative embodiment of the propane bottle base shown in FIG. 6 used to support a propane bottle directly on a dry supporting surface; and,

FIG. 9 is an elevation of the alternative embodiment shown in FIG. 6. It is noted that the elevation for the front, back, left, and right sides of the alternative embodiment of the propane bottle base used to support a propane bottle directly on a dry supporting surface are all identical.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9