



US00D683067S

(12) **United States Design Patent**
Wanders

(10) **Patent No.:** **US D683,067 S**
(45) **Date of Patent:** **** May 21, 2013**

(54) **LIGHTING DEVICE**

(75) Inventor: **Marcel Wanders**, Brescia (IT)

(73) Assignee: **FLOS S.p.A.**, Brescia (IT)

(**) Term: **14 Years**

(21) Appl. No.: **29/402,748**

(22) Filed: **Sep. 27, 2011**

(30) **Foreign Application Priority Data**

Mar. 28, 2011 (IT) BS2011O0010

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.**

USPC **D26/128**

(58) **Field of Classification Search** D26/1,
D26/2, 118, 113, 138, 119, 120, 121, 122,
D26/76, 77, 75, 78, 85, 86, 89, 90, 62, 64,
D26/65, 66, 63, 73, 72, 74, 68, 71, 28, 123,
D26/124, 127, 128, 129, 134, 135, 132, 139,
D26/154, 155, 152, 149, 148, 145, 143, 142,
D26/140, 141, 153, 144, 91, 92, 29, 24, 25,
D26/26, 8, 114, 37, 87, 110, 111; 362/202,
362/347, 349, 362, 419, 96, 192, 145, 294,
362/326, 267, 373, 249.01–249.12; D13/102,
D13/179, 180; D11/143, 144, 145, 146, 152,
D11/153, 154; D7/531

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D39,701 S * 12/1908 Watkins D26/142
D62,073 S * 3/1923 Tomlinson D26/88
D82,481 S * 11/1930 Collins D26/153
D82,488 S * 11/1930 Collins D26/110
D158,209 S * 4/1950 Lundquist D26/131
D362,647 S * 9/1995 Rahr D11/153
D389,944 S * 1/1998 Hutton D26/110

D443,100 S * 5/2001 Wu D26/110
D448,097 S * 9/2001 Bodum D26/9
D448,517 S * 9/2001 Orozco D26/110
D452,036 S * 12/2001 Johnson D26/153
D505,743 S * 5/2005 Chen D26/67
D523,987 S * 6/2006 Dolan D26/110
D529,652 S * 10/2006 Hon et al. D26/67
D530,444 S * 10/2006 Girard D26/153
D549,868 S * 8/2007 Deron D26/128
D631,149 S * 1/2011 Fis-Menache D23/395
D656,664 S * 3/2012 Son D26/118
D663,819 S * 7/2012 Browder D23/366

* cited by examiner

Primary Examiner — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Harness, Dickey & Pierce,
PLC

(57) **CLAIM**

The ornamental design for a lighting device, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the new design for a lighting device;

FIG. 2 is a left side elevational view of the lighting device shown in FIG. 1;

FIG. 3 is a right side elevational view of the lighting device shown in FIG. 1;

FIG. 4 is a front elevational view of the lighting device shown in FIG. 1;


FIG. 5 is a rear elevational view of the lighting device shown in FIG. 1;

FIG. 6 is an enlarged top plan view of the lighting device shown in FIG. 1; and,

FIG. 7 is an enlarged bottom plan view of the lighting device shown in FIG. 1.

The broken lines which define the bounds of the claimed design form no part thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




Fig. 6




Fig. 7