



US00D683166S

(12) **United States Design Patent**
Robbins, III et al.

(10) **Patent No.:** **US D683,166 S**
(45) **Date of Patent:** **** May 28, 2013**

- (54) **PERFORATED STRIPPING WITH HEADER**
- (75) Inventors: **Edward S. Robbins, III**, Muscle Shoals, AL (US); **Ronald R. White**, Florence, AL (US); **Tracy A. Smithey**, Pontotoc, MS (US)
- (73) Assignee: **Edward S. Robbins, III**, Muscle Shoals, AL (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/414,492**
- (22) Filed: **Feb. 29, 2012**
- (51) **LOC (9) Cl.** **06-10**
- (52) **U.S. Cl.**
USPC **D6/580**
- (58) **Field of Classification Search**
USPC D6/575-581; D5/64, 66; D8/323, D8/349, 353, 368, 369, 376, 377, 382; 160/84.01-84.08, 111, 115, 130, 168.1 R, 160/199, 331, 332
See application file for complete search history.

4,289,190 A	9/1981	Catan	160/332
4,367,781 A	1/1983	Vallieres, Jr. et al.	160/332
4,384,606 A *	5/1983	Johnston et al.	160/332
D269,576 S	7/1983	Robbins, Jr.	D6/208.1
4,449,270 A *	5/1984	Brabant	16/87.4 R
4,460,634 A *	7/1984	Hasegawa	428/124
4,607,678 A	8/1986	Pomaville et al.	160/332
D288,538 S	3/1987	Cabaniss, III	D10/62
4,646,364 A *	3/1987	O'Larey	2/50
D293,203 S	12/1987	Hertensteiner	D8/354
5,024,176 A *	6/1991	Musante	112/439
D319,669 S *	9/1991	Kronberg	D20/22
5,127,460 A	7/1992	Abadi et al.	160/332
5,458,938 A *	10/1995	Nygard et al.	428/40.2
5,520,237 A *	5/1996	Finkelstein et al.	160/184
D375,832 S	11/1996	Miller	D3/23
5,591,290 A *	1/1997	Walter et al.	156/152
5,609,938 A *	3/1997	Shields	428/138
5,964,742 A *	10/1999	McCormack et al.	604/380
6,030,687 A *	2/2000	Andriash	428/138
D425,113 S *	5/2000	Kleman et al.	D19/1
6,394,171 B1	5/2002	Robbins, III	160/184
6,474,983 B1	11/2002	Robbins	432/64

(Continued)

Primary Examiner — Karen S Acker

(74) *Attorney, Agent, or Firm* — Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a perforated stripping with header, as shown and described.

DESCRIPTION


FIG. 1 is a front elevation view of a perforated stripping with header;
FIG. 2 is a side view of the design of FIG. 1, the opposite side being a mirror image; and,
FIG. 3 is a top plan view of the design of FIG. 1.
The broken line in FIGS. 1 and 2 indicates the boundary of the perforated stripping with header and forms no part thereof.

1 Claim, 1 Drawing Sheet

(56) **References Cited**

U.S. PATENT DOCUMENTS

973,078 A *	10/1910	Seavey	33/201
1,814,260 A *	7/1931	Perugia	112/437
1,827,718 A *	10/1931	Whitney	160/84.02
2,594,624 A *	4/1952	Dubinsky	160/123
2,721,810 A *	10/1955	Schram	428/191
D187,362 S *	3/1960	Ellefson	D5/53
3,249,150 A *	5/1966	Knight	160/184
3,526,558 A *	9/1970	Beeson	156/219
3,900,642 A *	8/1975	Michel	428/40.1
4,086,950 A	5/1978	Power	160/332
4,095,642 A	6/1978	McKinnon et al.	160/332
4,165,778 A	8/1979	Smith	160/332
4,232,725 A	11/1980	Gidge	160/332



US D683,166 S

Page 2

U.S. PATENT DOCUMENTS

6,544,371	B2 *	4/2003	Senoo et al.	156/230	7,185,691	B2 *	3/2007	Toti	160/173 R
6,610,390	B1 *	8/2003	Kauschke et al.	428/198	7,393,034	B2 *	7/2008	Brussard et al.	296/24.41
6,933,030	B1	8/2005	Paterni	428/43	D586,204	S *	2/2009	Robbins et al.	D8/380
6,945,304	B1 *	9/2005	Kleynjans	160/332	D618,919	S	7/2010	Catalfamo et al.	D5/58
D515,442	S *	2/2006	Robbins, III	D10/71	2004/0159411	A1 *	8/2004	Robbins, III	160/332
7,097,892	B2 *	8/2006	Sano	428/40.1	2006/0193990	A1 *	8/2006	Schroeder et al.	427/407.1

* cited by examiner



FIG. 3




FIG. 1

FIG. 2