



US00D683208S

(12) **United States Design Patent**  
**Nocelo Stelin**

(10) **Patent No.:** **US D683,208 S**

(45) **Date of Patent:** **\*\* May 28, 2013**

(54) **HORSESHOE NAIL**

(75) **Inventor:** **Carlos Laércio Nocelo Stelin, Amal (SE)**

(73) **Assignee:** **Mustad Netherlands B.V., Drachten (NL)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/411,310**

(22) **Filed:** **Jan. 19, 2012**

(30) **Foreign Application Priority Data**

Jul. 20, 2011 (EM) ..... 001893645-001

(51) **LOC (9) Cl.** ..... **08-08**

(52) **U.S. Cl.**  
USPC ..... **D8/391**

(58) **Field of Classification Search**  
USPC ... D8/387, 388, 391, 385, 384, 392; 411/439,  
411/487, 456, 485, 489; 168/23; 470/33,  
470/36, 35

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

41,881 A \* 3/1864 Whipple ..... 411/439  
923,551 A \* 7/1869 Polsey ..... 411/489  
134,448 A \* 12/1872 Underhill ..... 470/36  
310,231 A \* 1/1885 Simpson ..... 411/487  
317,090 A \* 5/1885 Cave et al. .... 411/487  
351,573 A \* 10/1886 Capewell ..... 470/35  
412,728 A \* 10/1889 Carstens ..... 168/38  
415,818 A \* 11/1889 Miner ..... 470/35

417,490 A \* 12/1889 Kempster ..... 411/489  
490,393 A \* 1/1893 Miner ..... 470/35  
D27,074 S \* 5/1897 Kempster ..... D8/392  
639,405 A \* 12/1899 Knight ..... 411/487  
1,006,585 A \* 10/1911 Moller ..... 470/36  
1,443,527 A \* 1/1923 Cutter ..... 470/35  
D228,740 S \* 10/1973 Izumi ..... D8/392  
D416,190 S \* 11/1999 Heeley ..... D8/391  
5,988,967 A \* 11/1999 Jones ..... 411/489  
D418,400 S \* 1/2000 Juska ..... D8/391  
D618,088 S \* 6/2010 Gaylor ..... D8/391  
D644,093 S \* 8/2011 Togami ..... D8/391  
D644,094 S \* 8/2011 Togami ..... D8/391

\* cited by examiner

*Primary Examiner* — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Hovey Williams LLP


(57) **CLAIM**


The ornamental design for a horseshoe nail, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view taken from point of the nail toward the rectangularly configured head of the nail; FIG. 2 is a front side elevation view thereof showing the arcuate convex crown element at the head of the nail; FIG. 3 is a right side elevation view thereof; FIG. 4 is a rear elevation view thereof; FIG. 5 is a left side elevation view thereof; FIG. 6 is a top plan view thereof showing a substantially flat smooth surface at the end of the convex crown element at the head of the nail; and, FIG. 7 is a bottom view thereof showing the point of the nail.

**1 Claim, 7 Drawing Sheets**







*Fig. 1.*




*Fig. 2.*




*Fig. 3.*




*Fig. 1.*



*Fig. 5.*



*Fig. 6.*



*Fig. 7.*