



US00D683210S

(12) **United States Design Patent**
Cox et al.

(10) **Patent No.:** **US D683,210 S**

(45) **Date of Patent:** **** May 28, 2013**

(54) **CONTAINER FOR COLONIC CLEANSING KIT**

(75) Inventors: **Charles H. Cox**, Concord, VA (US);
Michael L. Caswell, Dover, NJ (US)

(73) Assignee: **C.B. Fleet Company, Inc.**, Lynchburg, VA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/429,438**

(22) Filed: **Aug. 10, 2012**

Related U.S. Application Data

(63) Continuation of application No. 13/184,007, filed on Jul. 15, 2011, which is a continuation of application No. 11/680,819, filed on Mar. 1, 2007, now Pat. No. 7,985,429.

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.**
USPC **D9/420; D9/424**

(58) **Field of Classification Search** D9/414-416, D9/418-426, 732, 737; D3/302, 314; 206/119, 206/464, 470, 508, 545, 806; 220/4.22-4.24, 220/574, 604-608, 659, 675, 781-782, 793, 220/835, 839, DIG. 14; 229/406, 407, 902; D7/396.1, 392.1, 394, 538, 543-545, 550.1, D7/551, 554.3, 587, 566, 584, 586, 629, 667; 221/191; D24/226, 230; 219/725, 735

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,933,296 A * 1/1976 Ruskin et al. 229/406
D283,487 S * 4/1986 Holewinski et al. D9/756

(Continued)

FOREIGN PATENT DOCUMENTS

BE 541665 8/1959
EP 0396165 11/1990

(Continued)

OTHER PUBLICATIONS

Verghese, V.J. et al., "Low-salt Bowel Cleansing Preparation (LoSo Prep) as Preparation for Colonoscopy: A Pilot Study", *Aliment Pharmacol Ther.*, vol. 16, pp. 1327-1331, (2002).

(Continued)

Primary Examiner — Thomas Johannes

(74) *Attorney, Agent, or Firm* — Evan Law Group LLC


(57) **CLAIM**

The ornamental design for a container for colonic cleansing kit, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a container for colonic cleansing kit with the lid closed showing our new design; FIG. 2 is a bottom perspective view thereof with the lid closed; FIG. 3 is a top view thereof with the lid closed; FIG. 4 is a bottom view thereof with the lid closed; FIG. 5 is a front view thereof with the lid closed; FIG. 6 is a rear view thereof with the lid closed; FIG. 7 is a right side view thereof with the lid closed; FIG. 8 is a left side view thereof with the lid closed; and, FIG. 9 is a top perspective view thereof with the lid open.

1 Claim, 9 Drawing Sheets



- Myoplex datasheet online [retrieved Nov. 10, 2000] <http://eas.com/index.asp>, Myoplex pp. 1-2.
- Rao, "Toxicologic Pathology of the Kidney and Urinary Bladder," *Toxicologic Pathology*, vol. 30, No. 6, pp. 651-656, 2002.
- Vanner et al., "A Randomized Prospective Trial Comparing Oral Sodium Phosphate with Standard Polyethylene Glycol-Based Lavage Solution (Golytely) in the Preparation of Patients for Colonoscopy," *The American Journal of Gastroenterology*, vol. 85, No. 4, pp. 422-427, 1990.
- Tobili et al., "Potassium citrate administration ameliorates tubulointerstitial lesions in rats with uric acid nephropathy," *Clinical Nephrology*, vol. 55, No. 1, pp. 59-68, 2001.
- Lacour et al., "Effet du citrate et des phosphate sur le transport du calcium dans l'iléon de rat in vitro," *Gastroenterol Clin. Biol.*, 18, pp. 938-944, 1994. (Summary in English).
- Oikawa et al., "Modulation of plasminogen activator inhibitor-1 in vivo : A new mechanism for the anti-fibrotic effect of rennin-angiotensin inhibition," *Kidney International*, vol. 51, pp. 164-172, 1997.
- Marangella et al., "Crystallization Inhibitors in the Pathophysiology and Treatment of Nephrolithiasis," *Urologia Int.*, 72, Suppl. 1, pp. 6-10, 2004.
- Neuhofer et al., "Chronic COX-2 inhibition reduces medullary HSP70 expression and induces papillary apoptosis in dehydrated rats," *Kidney International*, vol. 65, pp. 431-441, 2004.
- Ma et al., "Model of robust induction of glomerulosclerosis in mice: Importance of genetic background," *Kidney International*, vol. 64, pp. 350-355, 2003.
- Smoyer et al., "Ischemic Acute Renal Failure Induces Differential Expression of Small Heat Shock Proteins," *J Am Soc Nephrol*, 11, pp. 211-221, 2000.
- Desmeules et al., "Acute Phosphate Nephropathy and Renal Failure," *NEJM*, 349, pp. 1006-1007, 2003.
- Markowitz et al., "Acute Phosphate Nephropathy following Oral Sodium Phosphate Bowel Purgative: An Underrecognized Cause of Chronic Renal Failure," *J Am Soc Nephrol*, 16, pp. 3389-3398, 2005.
- Markowitz et al., "Renal Failure Due to Acute Nephrocalcinosis Following Oral Sodium Phosphate Bowel Cleansing," *Human Pathology*, 35, 675-684, 13 pages total, 2004.
- Ritskes-Hoitinga et al., "Phosphorus-Induced Nephrocalcinosis and Kidney Function in Female Rats," *J. Nutr.*, 119, pp. 1423-1431, 1989.
- Orias et al., "Extreme Hyperphosphatemia and Acute Renal Failure after a Phosphorus-Containing Bowel Regimen," *Am J Nephrol*, 19, pp. 60-63, (1999).
- Fine et al., "Severe Hyperphosphatemia Following Phosphate Administration for Bowel Preparation in Patients With Renal Failure: Two Cases and a Review of the Literature," *American Journal of Kidney Diseases*, vol. 29, No. 1, pp. 103-105, (1997).
- Wangoo et al., "Chronobiology of urinary citrate excretion amongst stone-formers and healthy males from North Western India," *Urological Research*, 19:203-206, (1991).
- Moeckel et al., "Distribution of de novo synthesized betaine in rat kidney: role of renal synthesis on medullary betaine accumulation," *Am. J. Physiol.*, 272, pp. F94-F99, (1997).
- Moeckel et al., "COX2 Activity Promotes Organic Osmolyte Accumulation and Adaptation of Renal Medullary Interstitial Cells to Hypertonic Stress," *Journal of Biological Chemistry*, vol. 278, No. 21, pp. 19352-19357, (2003).
- Moeckel et al., "Role of integrin $\alpha_1\beta_1$ in the regulation of renal medullary osmolyte concentration," *Am J Physiol, Renal Physiol*, 290, pp. F223-F231, (2006).
- Marshall et al., "Prospective, randomized trial comparing sodium phosphate solution with polyethylene glycol-electrolyte lavage for colonoscopy preparation," *Gastrointestinal Endoscopy*, vol. 39, No. 5, pp. 631-634, (1993).
- Petsite.com Ltd., "Amazing Rodent Facts," located at http://www.petalia.com.au/templates/StoryTemplate_Process.cfm?Story_No=350, p. 1, printed Nov. 2007.
- Nie et al., "Distinct Contributions of T1R2 and T1R3 Taste Receptor Subunits to the Detection of Sweet Stimuli," *Current Biology*, vol. 15, pp. 1948-1952, (2005).
- International Food Information Council Foundation, "Everything You Need to Know About Acesulfame Potassium," 2 pages, (1998).
- International Food Information Council Foundation, "Everything You Need to Know About Acesulfame Potassium," 2 pages, (1998).
- Calorie Control Council, "Low-Calorie Sweeteners: Acesulfame Potassium," can be found at <http://www.caloriecontrol.org/acesulf.html>, 3 pages, (2004).
- International Food Information Council Foundation, "Low-Calorie Sweeteners: Adding Reduced-Calorie Delights to a Healthful Diet," can be found at <http://www.ific.org/foodinsight/1998/jf/lcsfi198.cfm?renderforprint=1>, 4 pages, (1998).
- International Food Information Council Foundation, "More Choices For The Sweet Life," can be found at <http://www.ific.org/foodinsight/2002/so/morechoicesfi502.cfm?renderforprint=1>, 3 pages, (2002).
- FoodProductionDaily.com/Europe, "Sweet taste study promises perfect sugar replacement," can be found at <http://www.foodproductiondaily.com/news/printNewsBis.asp?id=63743>, 2 pages, (2005).
- International Search Report dated Mar. 29, 2007 for application no. PCT/US2006/039419.
- Khashab, M. et al., "Efficacy and tolerability of a new formulation of sodium phosphate tablets (INKP-101), and a reduced sodium phosphate dose, in colon cleansing: a single-center open-label pilot trial," *Aliment Pharmacol Ther.*, vol. 21, pp. 465-468, (2005).
- Rex, D.K. et al., "Safety and efficacy of two reduced dosing regimens of sodium phosphate tablets for preparation prior to colonoscopy," *Aliment Pharmacol Ther.*, vol. 16, pp. 937-944, (2002).
- Salix Pharmaceuticals, Inc., "Visicol® Product Information", http://www.salix.com/products_visicol.aspx, 1 page, printed on Aug. 16, 2006.
- InKine Pharmaceutical Company, Inc., "INKP-102 Tablet Posters; A new purgative from InKine Pharmaceutical Company, Inc., a subsidiary of Salix Pharmaceuticals", American College of Gastroenterology, Annual Scientific Meeting, 28 pages, Oct. 30-Nov. 2, 2005.
- Gatorade Sports Science Institute, "Roundtable; Intestinal fluid absorption in exercise and disease", SSE Roundtable #11, found at http://gssiweb.com/Article_Detail.aspx?articleid=50&level=4&topic=5, vol. 4, No. 1, 5 pages, (1993), (2002).
- McNaught, A.D. "Nomenclature of carbohydrates; recommendations 1996", *Pure & Applied Chemistry*, vol. 68, No. 10, pp. 1919-2008, (1996).
- Gatorade Beverage Comparison Chart, http://www.gssiweb.com/pdf/gatorade_bev_chart.pdf#search=%22gatorade%20beverage%20comparison%20chart%22, 2 pages, printed Sep. 2005.
- Sports Drink Comparisons, The University of Arizona, Group 14, Honors Biology 181, Fall 1998, found at <http://student.biology.arizona.edu/honors98/group14/sportsdrinks.html>, 2 pages, printed on Feb. 25, 2008.
- Accelerade, "Sports Drink Comparison", PacificHealth Laboratories, Inc., found at http://www.accelerade.com/pages/product_compare.html, 1 page, printed on Sep. 29, 2005.
- All-Sport Body Quencher, "Product Comparison", found at http://www.drinkallsport.com/pop/product_compare.htm, 1 page, printed on Sep. 29, 2005.
- Afridi, S.A. et al., "Prospective, randomized trial comparing a new sodium phosphate-bisacodyl regimen with conventional PEG-ES lavage for outpatient colonoscopy preparation," *Gastrointestinal Endoscopy*, pp. 485-489, vol. 41, (1995).
- Arezzo, A. "Prospective randomized trial comparing bowel cleaning preparations for colonoscopy," *Surgical Laparoscopy: Endoscopy & Percutaneous Techniques*, pp. 215-217, vol. 10, No. 4, (2000).
- Aronchick, C.A. et al., "A novel tableted purgative for colonoscopic preparation: efficacy and safety comparisons with Colyte and Fleet Phospho-Soda," *Gastrointestinal Endoscopy*, pp. 346-352, vol. 52, No. 3, (2000).
- Avery, M.E. et al., "Oral therapy for acute diarrhea: The underused simple solution," *The New England Journal of Medicine*, pp. 891-894, vol. 323, No. 13, (1990).
- Barclay, R.L. et al., "Carbohydrate-electrolyte rehydration protects against intravascular volume contraction during colonic cleansing with orally administered sodium phosphate", *Gastrointestinal Endoscopy*, pp. 633-638, vol. 56, No. 5, (2002).
- Bawani, M. et al., "A Single Blinded, Prospectively Randomized Comparison of Oral Phosphosoda (OP) with Polyethylene Glycol

- Based Solution (PG) as a Colonic Lavage for Colonoscopy," *Am. J. Gastroent.*, p. 1350, vol. 86, Abstract 239, (1991).
- Bawani, M.H. et al., "A Single Blind Control Study of Fleet Oral Phosphosoda Laxative and Magnesium Citrate for Colonoscopy Preparation," *AJG*, p. 1964, vol. 91, Abstract 316, (1996).
- Berkelhammer, C. et al., "Low-Volume Oral Colonoscopy Bowel Preparation: Sodium Phosphate and Magnesium Citrate," *Gastrointestinal Endoscopy*, pp. 89-94, vol. 56, No. 1, (2002).
- Bujnada, L. et al., "Tolerance and Colon Cleansing with Two Preparations. Polyethylene Glycol Versus Sodium Phosphate," *Gastroenterologia Y Hepatologia*, pp. 9-12, vol. 24, (2001).
- Chaleoykitti, B., "Comparative Study Between Polyethylene Glycol and Sodium Phosphate Solution in Elective Colorectal Surgery," *J. Med. Assoc. Thai*, pp. 92-96, vol. 85, (2002).
- Chan, A. et al., "Use of Oral Sodium Phosphate Colonic Lavage Solution by Canadian Colonoscopists: Pitfalls and Complications," *Can J. Gastroenterol.*, pp. 334-338, vol. 11, No. 4, (1997).
- Chia, Y.W. et al., "Role of Oral Sodium Phosphate and Its Effectiveness in Large Bowel Preparation for Out-Patient Colonoscopy," *J.R. Coll. Surg. Edinb.*, pp. 374-376, vol. 40, (1995).
- Chilton, A.P. et al., "A Blinded, Randomized Comparison of a Novel, Low-Dose, Triple Regimen with Fleet Phospho-Soda: A Study of Colon Cleanliness, Speed and Success of Colonoscopy," *Endoscopy*, pp. 37-41, vol. 32, No. 1, (2000).
- Clarkston, W.K. et al., "Oral sodium phosphate versus sulfate-free polyethylene glycol electrolyte lavage solution in outpatient preparation for colonoscopy: a prospective comparison," *Gastrointest. Endosc.*, pp. 42-48, vol. 43, (1996).
- Cohen, S.M. et al., "Prospective, randomized, endoscopic-blinded trial comparing precolonoscopy bowel cleansing methods," *Dis. Colon Rectum*, pp. 689-696, vol. 37, (1994).
- Da Silva, M.M. et al., "Colonoscopy preparation in children: safety, efficacy, and tolerance of high- versus low-volume cleansing methods," *Journal of Pediatric Gastroenterology and Nutrition*, pp. 33-37, vol. 24, (1997).
- Del Piano, M. et al., "A comparison of 3 methods of preparation for colonoscopy," *Minerva Gastroenterol. Dietol*, pp. 89-92, vol. 39, (1993).
- Fernandez, J.M.P. et al., "Characterization of the safety, effectiveness and use of oral sodium phosphate," *Revista Espanola De Enferm. Digestivas*, pp. 220-225, vol. 93, No. 4, (2001).
- Frommer, D., "Cleansing ability and tolerance of three bowel preparation for colonoscopy," *Dis. Colon Rectum*, pp. 100-104, vol. 40, (1997).
- Golub, R.W. et al., "Colonoscopic Bowel Preparations—Which One?," *Dis. Colon. Rectum.*, pp. 594-599, vol. 38, (1995).
- Greenleaf, J.E. et al., "Plasma volume expansion with oral fluids in hypohydrated men at rest and during exercise," *Aviat Space Environ. Med.*, pp. 837-844, vol. 69, (1998).
- Gremse, D.A. et al., "Comparison of oral sodium phosphate to polyethylene glycol-based solution for bowel preparation for colonoscopy in children," *J. Ped. Gast. And Nutrition*, pp. 586-590, vol. 23, (1996).
- Habr-Gama, A., "Bowel preparation for colonoscopy: comparison of mannitol and sodium phosphate: results of a prospective randomized study," *Rev. Hosp. Clin. Fac. Med. S. Paulo*, pp. 187-192, vol. 54, No. 6, (1999).
- Handelsman, J.C. et al., "Experience with ambulatory preoperative bowel preparation at the Johns Hopkins hospital," *Arch. Surg.*, pp. 441-444, vol. 128, (1993).
- Haroon, et al., "A randomized clinical trial comparing oral sodium phosphate (NaP) with standard polyethylene glycol-based lavage solution (Colyte) in the preparation of patients for colonoscopy," *Gastroenterology*, vol. 102, No. 4, Abstract No. 2112, (1992).
- Henderson, J.M. et al., "Single-day, divided-dose oral sodium phosphate laxative versus intestinal lavage as preparation for colonoscopy: efficacy and patient tolerance," *Gastrointest. Endoscopy*, pp. 238-243, vol. 42, No. 3, (1995).
- Hookey, L.C. et al., "The safety profile of oral sodium phosphate for colonic cleansing before colonoscopy in adults," *Gastrointest. Endoscopy*, vol. 56, No. 6, pp. 895-902, (2002).
- Huynh, T. et al., "Safety profile of 5-h oral sodium phosphate regimen for colonoscopy cleansing: lack of clinically significant hypocalcemia or hypovolemia," *Am. J. Gastroenterol.*, pp. 104-107, vol. 90, (1995).
- Johnson, D.R. et al., "Dehydration and orthostatic vital signs in women with hyperemesis gravidarum" *Acad. Emerg. Med.*, pp. 692-697, (7 pages including correction), vol. 2, (1995).
- Kim, M. et al., "Patient compliance and satisfaction with oral bowel preparation for outpatient colonoscopy: a prospective, randomized, blinded trial," *Dis. Colon Rectum*, vol. 40, pp. A42, Abstract No. P48, (1997).
- Klein, S. et al., "Enteral and parenteral nutrition," *Sleisenger and Fordtran's Gastrointestinal and Liver Disease*, pp. 254-277, (1998).
- Kolts, B.E. et al., "A comparison of the effectiveness and patient tolerance of oral sodium phosphate, castor oil, and standard electrolyte lavage for colonoscopy or sigmoidoscopy preparation," *Am. J. Gastroenterol.*, pp. 1218-1223, vol. 88, No. 8, (1993).
- Kuchel, G.A. et al., "Cardiovascular responses to phlebotomy and sitting in middle-aged and elderly subjects," *Arch. Int. Med.*, pp. 366-370, vol. 152, (1992).
- Lapalus, M-G. et al., "Prospective randomized single-blind trial comparing oral sodium phosphate and polyethylene glycol based solution for colonoscopy preparation," *Gastroenterol. Clin. Biol.*, pp. 29-34, vol. 25, (2001).
- Lee, J. et al., "A prospective randomised study comparing polyethylene glycol and sodium phosphate bowel cleansing solutions for colonoscopy," *The Ulster Medical Journal*, pp. 68-72, vol. 68, No. 2, (1999).
- McGee, S.R., "Physical examination of venous pressure: a critical review," *Am. Heart J.*, pp. 10-18, vol. 136, (1998).
- Macari, M. et al., "Effect of different bowel preparations on residual fluid at CT colonography," *Radiology*, pp. 274-277, vol. 218, (2001).
- Macleod, A.J.M. et al., "A comparison of fleet phospho-soda with picolax in the preparation of the colon for double contrast barium enema," *Clinical Radiology*, pp. 612-614, vol. 53, (1998).
- Marshall, J.B. et al., "Short report: prospective, randomized trial comparing a single dose sodium phosphate regimen with PEG-electrolyte lavage for colonoscopy preparation," *Aliment Pharmacol. Ther.*, pp. 679-682, vol. 7, (1993).
- Marshall, J.B. et al., "Prospective, randomized trial comparing sodium phosphate solution with polyethylene glycol-electrolyte lavage for colonoscopy preparation," *Gastrointest. Endosc.*, pp. 631-634, vol. 39, No. 5, (1993).
- Martinek, J. et al., "Cisapride does not improve precolonoscopy bowel preparation with either sodium phosphate or polyethylene glycol electrolyte lavage," *Gastrointest. Endoscopy*, pp. 180-185, vol. 54, No. 2, (2001).
- Maughan, R.J. et al., "Post-exercise rehydration in man: effects of electrolyte addition to ingested fluids," *Eur. J. Appl. Physiol. Occup. Physiol.*, pp. 209-215, vol. 69, (1994).
- O'Donovan, A.N. et al., "A prospective blinded randomized trial comparing oral sodium phosphate and polyethylene glycol solutions for bowel preparation prior to barium enema," *Clin. Radiology*, pp. 791-793, vol. 52, (1997).
- Oliveria, L.C.C. et al., "Mechanical bowel preparation for elective colorectal surgery; a prospective, randomized, surgeon-blinded trial comparing sodium phosphate and polyethylene glycol-based oral lavage solutions," *Dis. Colon Rectum*, pp. 585-591, vol. 40, (1997).
- Poon, C.M. et al., "Two liters of polyethylene glycol-electrolyte lavage solution versus sodium phosphate as bowel cleansing regimen for colonoscopy: a prospective randomized controlled trial," *Endoscopy*, pp. 560-563, vol. 34, (2002).
- Rex, D.K. et al., "Impact of bowel preparation on efficacy and cost of colonoscopy," *Am. J. Gastroenterology*, pp. 1696-1700, vol. 97, No. 7, (2002).
- Shaoul, R. et al., "Symptoms of hyperphosphatemia, hypocalcemia, and hypomagnesemia in an adolescent after the oral administration of sodium phosphate in preparation for a colonoscopy," *Gastrointest. Endosc.*, pp. 650-652, vol. 53, No. 6, (2001).
- Sudduth, R.H. et al., "The effectiveness of simethicone in improving visibility during colonoscopy when given with a sodium phosphate solution: a double-blind randomized study," *Gastrointest. Endoscopy*, pp. 413-415, vol. 42, No. 5, (1995).

- Thomson, A. et al., "Bowel preparation for colonoscopy: a randomized prospective trial comparing sodium phosphate and polyethylene glycol in a predominantly elderly population," *J. Gast. and Hepatology*, pp. 103-107, vol. 11, (1996).
- Unal, S. et al., "A randomized prospective trial comparing 45 and 90-ml oral sodium phosphate with X-Prep in the preparation of patients for colonoscopy," *Acta. Gastro-Enterol. Belg.*, pp. 281-284, vol. 61, (1998).
- Wolff, B.G. et al., "A new bowel preparation for elective colon and rectal surgery: a prospective, randomized clinical trial," *Arch. Surg.*, pp. 895-900, vol. 123, (1998).
- Yoshioka, K. et al., "Randomized trial of oral sodium phosphate (picolax) for elective colorectal surgery and colonoscopy," *Dig. Surg.*, pp. 66-70, vol. 17, (2000).
- Young, C.J. et al., "Oral sodium phosphate solution is a superior colonoscopy preparation to polyethylene glycol with bisacodyl," *Dis. Colon Rectum*, pp. 1568-1571, vol. 43, (2000).
- Tjandra, J. et al., "Carbohydrate-Electrolyte (E-Lyte®) Solution Enhances Bowel Preparation With Oral Fleet® Phospho-soda®," *Dis Colon Rectum*, 47, pp. 1181-1186, (2004).
- Canard, J. et al., "Fleet® Phospho Soda: for Greater Acceptability of the Colic Preparation Before Colonoscopy. Randomized Comparative Single Blind Study Versus Polyethylene Glycol." *Acta. Endoscopica*, pp. 703-708, vol. 31, (2001).
- Translation of the Canard, J., et al reference.
- Oliveira, L. et al., "Mechanical Bowel Preparation With Oral Sodium Phosphate Solution for Colonoscopy. A New Small Volume Solution Compared To The Traditional Mannitol.", *Revista do Colegio Brasileiro de Cirurgioes*, pp. 353-358, vol. 26, (1999).
- Translation of the Oliveira, L. et al reference.
- Salix Pharmaceuticals, Inc., *Visicol® Tablets Product Information*, 2 pages, (2005).
- Isbrucker, R.A. et al., "Risk and safety assessment on the consumption of licorice root (*Glycyrrhiza* sp.), its extract and powder as a food ingredient, with emphasis on the pharmacology and toxicology of glycyrrhizin", *Regulatory Toxicology and Pharmacology*, vol. 46, pp. 167-192, (2006).
- Translation of the Belgium Patent BE 541665 dated Aug. 1959.
- Unger et al., "Willingness to Undergo Split-Dose Bowel Preparation for Colonoscopy and Compliance with Split-Dose Instructions," *Dig Dis Sci*, pp. 2030-2034, (2010).
- Balaban, D.H. et al., "Comparison of two dosing regimens of liquid sodium phosphate against a low dose PEG regimen", *American Journal of Gastroenterology*, vol. 100, No. 9 supplement, pp. S354-S355, (2005).
- Food and Drug Administration, "Guidance for Industry: Container closure systems for packaging human drugs and biologics", U.S. Department of Health and Human Services, pp. 1-56, (1999).
- Rex, D.K. et al., "Updated recommendations on the safe and effective use of oral sodium phosphates solution" Fleet, found at www.fleetlabs.com/notices/UpdatedRecommendationsOSPS.pdf, pp. 1-10, printed on Jan. 13, 2012, (2007).
- DiPalma, J.A. et al., "Biochemical effects of oral sodium phosphate", *Digestive Diseases and Sciences*, vol. 41, No. 4, pp. 749-753, (1996).
- Ainley, E.J. et al., "Measurement of serum electrolytes and phosphate after sodium phosphate colonoscopy bowel preparation: an evaluation", *Digestive Diseases and Sciences*, vol. 50, No. 7, pp. 1319-1323, (2005).
- Malik, P. et al., "Randomized study comparing two regimens of oral sodium phosphates solution versus low-dose polyethylene glycol and bisacodyl", *Digestive Diseases and Sciences*, vol. 54, No. 4, pp. 833-841, published online Aug. 19, 2008, (2009).
- International Search Report dated Dec. 4, 2008 for PCT Application No. PCT/US08/073855.
- Gimenez, L., et al., "Prevention of phosphate-induced progression of uremia in rats by 3-phosphocitric acid", *Kidney International*, vol. 22, pp. 36-41, (1982).
- Zechner, V. O., et al., "The Conservative treatment of phosphate calculi with citrate buffer", *Wiener Klinische Wochenschrift*, vol. 87, No. 9, pp. 300-303, (1975).
- Abuelo, J.G. "Normotensive ischemic acute renal failure", *New England Journal of Medicine*, vol. 357, pp. 797-805, (2007).

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9