



US00D683342S

(12) **United States Design Patent**
Ogishita et al.

(10) **Patent No.:** **US D683,342 S**

(45) **Date of Patent:** **** May 28, 2013**

(54) **COMPUTER**

(75) Inventors: **Naoki Ogishita**, Tokyo (JP); **Soichi Tanaka**, Tokyo (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(**) **Term:** **14 Years**

(21) Appl. No.: **29/371,899**

(22) Filed: **Jan. 6, 2012**

Related U.S. Application Data

(63) Continuation-in-part of application No. 29/371,045, filed on Sep. 30, 2010, now Pat. No. Des. 661,297.

(30) **Foreign Application Priority Data**

Apr. 1, 2010 (JP) D2010-008374
Apr. 28, 2010 (JP) D2010-010648
Apr. 28, 2010 (JP) D2010-010649

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/315**

(58) **Field of Classification Search**
USPC ... D14/315-327; D18/1, 2, 7, 11; 235/145 A, 235/145 R; 341/22, 23; 345/104, 156, 168, 345/169, 173; 361/679.08, 679.09, 679.11, 361/679.26, 679.27
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,067,224 A * 5/2000 Nobuchi 361/679.27
D447,740 S * 9/2001 Johansson D14/138 AA
D452,861 S 1/2002 Ogasawara
D466,499 S 12/2002 Nakano
6,519,139 B2 * 2/2003 Kambayashi 361/679.09
D493,456 S 7/2004 Ogasawara
D501,660 S 2/2005 Kumano
D510,737 S 10/2005 Yokota
D517,063 S * 3/2006 Nakajima et al. D14/318
D559,245 S * 1/2008 Iseki et al. D14/318
D559,247 S 1/2008 Kawase

D574,382 S * 8/2008 Tsukahara D14/432
D577,013 S * 9/2008 Harris et al. D14/317
D578,125 S * 10/2008 Iseki D14/432
D581,410 S * 11/2008 Kumano D14/318
D585,900 S 2/2009 Kumano
D620,002 S * 7/2010 Tsai et al. D14/315
D624,911 S * 10/2010 Lee et al. D14/315
2005/0018396 A1 * 1/2005 Nakajima et al. 361/683
2005/0041378 A1 * 2/2005 Hamada et al. 361/680

FOREIGN PATENT DOCUMENTS

JP D1094521 S 12/2000
JP D1129718 S 12/2001
JP D1368179 S 8/2009

* cited by examiner

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer PLLC

(57) **CLAIM**

The ornamental design for a computer, as shown and described.

DESCRIPTION

FIG. 1 is a front, top, right perspective view of a first embodiment of a computer showing my new design;
FIG. 2 is a rear, bottom, left perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is a top plan view thereof;
FIG. 7 is a front, top, right perspective view of the computer of FIG. 1, wherein the screen portion is in a closed position;
FIG. 8 is a rear, bottom, left perspective view thereof;
FIG. 9 is a front elevational view thereof;
FIG. 10 is a left side elevational view thereof; and
FIG. 11 is a top plan view thereof.
FIG. 12 is a front, top, right perspective view of a second embodiment of a computer showing my new design;
FIG. 13 is a rear, bottom, left perspective view thereof;
FIG. 14 is a front elevational view thereof;
FIG. 15 is a rear elevational view thereof;
FIG. 16 is a left side elevational view thereof;
FIG. 17 is a top plan view thereof;





FIG. 18 is a front, top, right perspective view of the computer of FIG. 12, wherein the screen portion is in a closed position;
FIG. 19 is a rear, bottom, left perspective view thereof;
FIG. 20 is a front elevational view thereof;
FIG. 21 is a left side elevational view thereof; and
FIG. 22 is a top plan view thereof.
FIG. 23 is a front, top, right perspective view of a third embodiment of a computer showing my new design;
FIG. 24 is a rear, bottom, left perspective view thereof;
FIG. 25 is a front elevational view thereof;
FIG. 26 is a rear elevational view thereof;
FIG. 27 is a left side elevational view thereof;
FIG. 28 is a top plan view thereof;
FIG. 29 is a front, top, right perspective view of the computer of FIG. 23 wherein the screen portion is in a closed position;
FIG. 30 is a rear, bottom, left perspective view thereof;
FIG. 31 is a front elevational view thereof;
FIG. 32 is a left side elevational view thereof; and

FIG. 33 is a top plan view thereof.
FIG. 34 is a front, top, right perspective view of a fourth embodiment of a computer showing my new design;
FIG. 35 is a rear, bottom, left perspective view thereof;
FIG. 36 is a front elevational view thereof;
FIG. 37 is a rear elevational view thereof;
FIG. 38 is a left side elevational view thereof;
FIG. 39 is a top plan view thereof;
FIG. 40 is a front, top, right perspective view of the computer of FIG. 34, wherein the screen portion is in a closed position;
FIG. 41 is a rear, bottom, left perspective view thereof;
FIG. 42 is a front elevational view thereof;
FIG. 43 is a left side elevational view thereof; and,
FIG. 44 is a top plan view thereof.
Portions in broken lines are for illustrative purposes only and form no part of the claimed design. Dot-dash lines define the boundaries of, but not included in, the claimed design.

1 Claim, 43 Drawing Sheets

FIG. 1




FIG.2




FIG.3




FIG.4



FIG. 5




FIG.6





FIG. 7






FIG. 8

FIG. 9




FIG.10




FIG. 11




FIG.12




FIG.13




FIG.14




FIG. 15




FIG.16




FIG.17





FIG.18






FIG.19

FIG.20




FIG.21




FIG. 22




FIG.23




FIG.24




FIG.25




FIG.26




FIG. 27




FIG. 28





FIG.29






FIG. 30

FIG. 31




FIG.32





FIG.33






FIG. 34

FIG. 35




FIG. 37




FIG. 38





FIG.39






FIG.40




FIG.41

FIG.42




FIG.43




FIG.44

