



US00D683644S

(12) **United States Design Patent**
Stowers

(10) **Patent No.:** **US D683,644 S**
(45) **Date of Patent:** **** *Jun. 4, 2013**

(54) **COMBINATION SAFETY HAMMER, KNIFE,
AND TIRE PRESSURE GAUGE**

(75) Inventor: **David C. Stowers**, Morristown, NJ (US)

(73) Assignee: **Measurement Ltd.**, Grand Cayman
(KY)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/405,284**

(22) Filed: **Oct. 31, 2011**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/86**

(58) **Field of Classification Search**
USPC D10/86; 73/732, 744, 742, 717, 741,
73/146.3, 146.8

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,631,831	A	12/1986	Bacher et al.
4,970,894	A	11/1990	Huang
D317,880	S	7/1991	Meehan
D366,846	S	2/1996	Handfield et al.
D390,140	S	2/1998	Germanton
D395,835	S	7/1998	Okuyama et al.
5,883,306	A	3/1999	Hwang
5,895,845	A	4/1999	Burger
D409,509	S	5/1999	Petrucelli et al.
D409,931	S	5/1999	Petrucelli et al.
5,987,978	A	11/1999	Whitehead
D440,893	S	4/2001	Van Zeyl
D440,894	S	4/2001	Van Zeyl
D440,895	S	4/2001	Van Zeyl
D441,674	S	5/2001	Van Zeyl
D447,970	S	9/2001	Cappiello et al.

D450,257	S	11/2001	Bressler et al.
D455,666	S	4/2002	Cappiello et al.
D459,257	S	6/2002	Petrucelli
D459,668	S	7/2002	Petrucelli
D462,627	S	9/2002	Petrucelli
6,634,223	B2	10/2003	Hartmann et al.
7,010,969	B1	3/2006	Huang
D522,894	S	6/2006	Stowers et al.
D524,667	S *	7/2006	Fujioka D10/86
D524,669	S	7/2006	Stowers et al.
D526,229	S	8/2006	Stowers et al.
D526,589	S	8/2006	Stowers et al.
D526,922	S	8/2006	Stowers et al.

(Continued)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Howard IP Law Group, PC


(57) **CLAIM**

The ornamental design for a combination safety hammer, knife, and tire pressure gauge, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a combination safety hammer, knife, and tire pressure gauge showing our new design, according to an embodiment of the invention;
 FIG. 2 is a front view of the combination safety hammer, knife, and tire pressure gauge of FIG. 1;
 FIG. 3 is a rear view of the combination safety hammer, knife, and tire pressure gauge of FIG. 1;
 FIG. 4 is a left side view of the combination safety hammer, knife, and tire pressure gauge of FIG. 1;
 FIG. 5 is a right side view of the combination safety hammer, knife, and tire pressure gauge of FIG. 1;
 FIG. 6 is a top view of the combination safety hammer, knife, and tire pressure gauge of FIG. 1; and,
 FIG. 7 is a bottom view of the combination safety hammer, knife, and tire pressure gauge of FIG. 1.
 The matter shown in dashed lines is environmental structure and forms no part of the claimed design.

1 Claim, 5 Drawing Sheets



US D683,644 S

Page 2

U.S. PATENT DOCUMENTS

D528,934 S 9/2006 Stowers et al.
D534,092 S 12/2006 Kuskovsky
D564,383 S 3/2008 Petrucelli et al.
D596,970 S 7/2009 Petrucelli
D603,733 S 11/2009 Stowers et al.

D606,435 S 12/2009 Zheng
D631,766 S 2/2011 Petrucelli
D631,768 S 2/2011 Petrucelli et al.
7,928,960 B2 4/2011 Baldo et al.
D648,236 S 11/2011 Rodrig

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7