



US00D683678S

(12) **United States Design Patent**
Willard

(10) **Patent No.:** **US D683,678 S**
(45) **Date of Patent:** **** Jun. 4, 2013**

(54) **UNDERCARRIAGE WIND DEFLECTOR**

(76) Inventor: **Rick Willard**, Forney, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/411,406**

(22) Filed: **Jan. 20, 2012**

(51) **LOC (9) Cl.** **12-08**

(52) **U.S. Cl.**
USPC **D12/181**

(58) **Field of Classification Search**

USPC ... D12/181, 191, 196, 400, 190, 88; 280/727,
280/770, 848; 296/180.1–180.5, 91; 180/903
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

553,171	A *	1/1896	Markkussen		296/36
D166,495	S *	4/1952	Reichman		D12/181
D166,496	S *	4/1952	Reichman		D12/181
D166,987	S *	6/1952	Miller		D12/181
D169,469	S *	5/1953	Anderson		D12/181
D172,035	S *	4/1954	Krusemark		D12/181
D400,837	S *	11/1998	Pitts		D12/181

* cited by examiner

Primary Examiner — Katrina A Betton

(74) *Attorney, Agent, or Firm* — David W. Carstens;
Carstens & Cahoon, LLP

(57) **CLAIM**

The ornamental design for a undercarriage wind deflector, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the undercarriage wind deflector of the present invention, with the undercarriage showing in phantom;

FIG. 2 is a bottom elevation view thereof;

FIG. 3 is a top elevation view thereof;

FIG. 4 is a left side elevation view thereof;



FIG. 5 is a right side elevation view thereof;

FIG. 6 is a front elevation view thereof; and,

FIG. 7 is a rear elevation view thereof.

In the drawings, the dotted broken lines in FIG. 1 depict a truck, and the dashed broken lines in FIGS. 1, 2, 3 and 7 show portions of the article that form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7