



US00D683708S

(12) **United States Design Patent**
Sasano et al.

(10) **Patent No.:** **US D683,708 S**
(45) **Date of Patent:** **** Jun. 4, 2013**

(54) **LIGHT EMITTING DIODE**

(71) Applicant: **Nichia Corporation**, Anan (JP)

(72) Inventors: **Haruaki Sasano**, Tokushima (JP);
Satoshi Okada, Anan (JP); **Satoshi Kinoshita**, Tokushima (JP); **Yuichi Okada**, Tokushima (JP); **Tatsuya Yanamoto**, Anan (JP)

(73) Assignee: **Nichia Corporation** (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/433,782**

(22) Filed: **Oct. 4, 2012**

Related U.S. Application Data

(62) Division of application No. 29/381,611, filed on Dec. 21, 2010.

(30) **Foreign Application Priority Data**

Dec. 9, 2010 (JP) 2010-029349
Dec. 9, 2010 (JP) 2010-029350

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/180**

(58) **Field of Classification Search**
USPC D13/180; D26/1, 2; 257/79, 80, 81,
257/88, 89, 95, 98, 99, 100, E33.058; 313/483,
313/498, 500; 362/555, 800

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D573,553 S * 7/2008 Uemoto et al. D13/180
D576,970 S * 9/2008 Uemoto et al. D13/180

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1339026 9/2008
JP D1339028 9/2008

(Continued)

OTHER PUBLICATIONS

Product Data Sheet DS11, "Bridgelux ES Array Series," publication date: Oct. 11, 2010, produced by Bridgelux Inc.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — SAIDMAN DesignLaw Group

(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, right side perspective view of a first embodiment of a light emitting diode showing our new design;

FIG. 2 is a front elevational thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a front, bottom, right side perspective view of a second embodiment thereof;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a top plan view thereof;



FIG. 12 is a bottom plan view thereof;

FIG. 13 is a right side elevational view thereof; and,

FIG. 14 is a left side elevational view thereof.

The dashed broken lines illustrate portions of the light emitting diode and form no part of the claimed design. The diagonal shading indicates translucency.

1 Claim, 14 Drawing Sheets



U.S. PATENT DOCUMENTS

D592,615	S	5/2009	Imai et al.	
D607,420	S	1/2010	Imai et al.	
D615,052	S	5/2010	Imai et al.	
D618,635	S	6/2010	Imai et al.	
D637,564	S	5/2011	Tseng et al.	
D637,565	S	5/2011	Wu et al.	
D645,417	S	9/2011	Imai et al.	
D645,421	S	9/2011	Wang et al.	
D647,492	S *	10/2011	Imai et al.	D13/180
D650,760	S *	12/2011	Hussell et al.	D13/180
D658,602	S *	5/2012	Egawa et al.	D13/180
D658,603	S *	5/2012	Egawa et al.	D13/180
D667,803	S *	9/2012	Hussell et al.	D13/180
D669,041	S *	10/2012	Imai et al.	D13/180
2011/0062482	A1	3/2011	Solomensky et al.	
2011/0291151	A1 *	12/2011	Matsuda et al.	257/99

FOREIGN PATENT DOCUMENTS

JP	D1383248	3/2010
JP	D1383249	3/2010
JP	D1383250	3/2010

OTHER PUBLICATIONS

Product Data Sheet DS14, "Bridgelux LS Array Series," publication date: Dec. 1, 2010, produced by Bridgelux Inc.

Technical Report vol. 25 on Renovation of LED Device, produced by Sharp Kabushiki Kaisha, Copyright 2009.

Citizen Electronics, High Power LED White Citizen CL-L190-C5L, <http://www.conrad-uk.com/ce/de/product/180922/High-Power-LED-Weiss-CL-L190-Citizen-Electro-CL-L190-C5L-Weiss-320-lm-56-W-120->, published by Conrad U.K., available at least as early as Jan. 21, 2008.

Citizen Electronics, High Power LED White Citizen CL-L230-C10N, <http://www.conrad-uk.com/ce/en/product/180926/HIGHPOWER-LED-WHITE-CITIZEN-CL-L230-C10N>, published by Conrad U.K., available at least as early as Feb. 19, 2008.

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6




FIG. 7




FIG. 8

FIG. 9




FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D683,708 S
APPLICATION NO. : 29/433782
DATED : June 4, 2013
INVENTOR(S) : Haruaki Sasano et al.

Page 1 of 16

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

The description should appear as follows:

DESCRIPTION:

FIG. 1 is a front, bottom, right side perspective view of a first embodiment of a light emitting diode showing our new design;

FIG. 2 is a front elevational thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof;

FIG. 6 is a right side elevational view thereof;

FIG. 7 is a left side elevational view thereof;

FIG. 8 is a front, bottom, right side perspective view of a second embodiment thereof;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a top plan view thereof;

FIG. 12 is a bottom plan view thereof;

FIG. 13 is a right side elevational view thereof; and

FIG. 14 is a left side elevational view thereof.

The diagonal shading indicates translucency.

In the Drawings

Delete drawing sheets 1-14 and insert drawing sheets 1-14 as shown on the attached pages.

Signed and Sealed this
Eighth Day of April, 2014



Michelle K. Lee
Deputy Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D683,708 S**
Sasano et al. (45) **Date of Patent:** **** Jun. 4, 2013**

(54) **LIGHT EMITTING DIODE**

- (71) Applicant: **Nichia Corporation, Anan (JP)**
- (72) Inventors: **Haruaki Sasano, Tokushima (JP); Satoshi Okada, Anan (JP); Satoshi Kinoshita, Tokushima (JP); Yuichi Okada, Tokushima (JP); Tatsuya Yanamoto, Anan (JP)**
- (73) Assignee: **Nichia Corporation (JP)**
- (**) Term: **14 Years**
- (21) Appl. No.: **29/433,782**
- (22) Filed: **Oct. 4, 2012**

Related U.S. Application Data

- (62) Division of application No. 29/381,611, filed on Dec. 21, 2010.

(30) **Foreign Application Priority Data**

Dec. 9, 2010 (JP) 2010-029349
 Dec. 9, 2010 (JP) 2010-029350

- (51) **LOC (9) Cl.** **13-03**
- (52) **U.S. Cl.**
 USPC **D13/180**

- (58) **Field of Classification Search**
 USPC D13/180; D26/1, 2; 257/79, 80, 81, 257/88, 89, 95, 98, 99, 100, E33.058; 313/483, 313/498, 500; 362/555, 800
 See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D573,553 S * 7/2008 Uemoto et al. D13/180
 D576,970 S * 9/2008 Uemoto et al. D13/180

(Continued)

FOREIGN PATENT DOCUMENTS

JP D1339026 9/2008
 JP D1339028 9/2008

(Continued)

OTHER PUBLICATIONS

Product Data Sheet DS11, "Bridgelux ES Array Series." publication date: Oct. 11, 2010. produced by Bridgelux Inc.

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — SAIDMAN DesignLaw Group


(57) **CLAIM**

The ornamental design for a light emitting diode, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom, right side perspective view of a first embodiment of a light emitting diode showing our new design;
 FIG. 2 is a front elevational thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a bottom plan view thereof;
 FIG. 6 is a right side elevational view thereof;
 FIG. 7 is a left side elevational view thereof;
 FIG. 8 is a front, bottom, right side perspective view of a second embodiment thereof;
 FIG. 9 is a front elevational view thereof;
 FIG. 10 is a rear elevational view thereof;
 FIG. 11 is a top plan view thereof;
 FIG. 12 is a bottom plan view thereof;
 FIG. 13 is a right side elevational view thereof; and,
 FIG. 14 is a left side elevational view thereof.
 The diagonal shading indicates translucency.

1 Claim, 14 Drawing Sheets






Fig. 1

Fig. 2





Fig. 3






Fig. 4




Fig. 5




Fig. 6




Fig. 7




FIG. 8

FIG. 9





FIG. 10






FIG. 11




FIG. 12




FIG. 13




FIG. 14