



US00D683806S

(12) **United States Design Patent**
Dueck

(10) **Patent No.:** **US D683,806 S**
(45) **Date of Patent:** **** Jun. 4, 2013**

(54) **FRONT PLATE FOR A FIREARM SOUND SUPPRESSOR**

(75) Inventor: **Barry W. Dueck**, Sunset Beach, CA (US)

(73) Assignee: **SureFire, LLC**, Fountain Valley, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/410,783**

(22) Filed: **Jan. 12, 2012**

(51) **LOC (9) Cl.** **22-01**

(52) **U.S. Cl.**
USPC **D22/108**

(58) **Field of Classification Search**
USPC D22/108; D1/100, 127–130, 199;
D11/10–11, 26–28, 40–43, 75, 89–93; D28/8.1;
D21/386; D24/100–101; 119/702, 707–711;
138/96 R

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,598,360	A *	8/1926	Pavek	42/79
2,805,604	A *	9/1957	Humphrey	89/135
D201,096	S *	5/1965	Russel	D8/352
D201,097	S *	5/1965	Russel	D8/352
D279,812	S *	7/1985	Cellini	D22/108
5,026,012	A *	6/1991	Wang	248/222.14
5,076,523	A *	12/1991	Wang	248/222.14
5,115,716	A *	5/1992	Doering et al.	89/25
5,274,940	A *	1/1994	Guzy	42/94
D344,683	S *	3/1994	Stromback et al.	D10/103
6,025,090	A *	2/2000	Sargeant et al.	429/163
D475,798	S *	6/2003	Galli	D26/37
D476,103	S *	6/2003	Galli	D26/37
6,807,959	B1 *	10/2004	Murdock et al.	124/61
D501,054	S *	1/2005	Galli	D26/37
6,895,704	B2 *	5/2005	Ives et al.	40/493

6,948,415	B2	9/2005	Matthews et al.	
6,959,469	B2 *	11/2005	Blauer et al. 16/431
6,991,872	B2 *	1/2006	Yoppolo et al. 429/56
D549,860	S *	8/2007	Gustafson et al. D26/37
D557,839	S *	12/2007	Shiu D26/37
D566,309	S *	4/2008	Kornfeld et al. D26/37

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 13/348,811, filed Jan. 12, 2012, inventors: Dueck et al.

(Continued)

Primary Examiner — Michael A Pratt

(74) *Attorney, Agent, or Firm* — Haynes and Boone, LLP


(57) **CLAIM**

The ornamental design for a front plate for a firearm sound suppressor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a front plate for a firearm sound suppressor showing the new design;
 FIG. 2 is a rear perspective view thereof;
 FIG. 3 is a front side elevational view thereof;
 FIG. 4 is a rear side elevational view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a top plan view thereof; and
 FIG. 8 is a bottom plan view thereof.
 FIG. 9 is a front perspective view of the front plate implemented as part of an example firearm sound suppressor;
 FIG. 10 is a rear perspective view thereof; and
 FIG. 11 is a right side elevational view thereof; and,
 FIG. 12 is a right side elevational view of the front plate implemented as part of the example firearm sound suppressor mounted on an example firearm.
 The broken lines in the drawings illustrate environmental features and form no part of the claimed design.

1 Claim, 12 Drawing Sheets



US D683,806 S

Page 2

U.S. PATENT DOCUMENTS

D577,449 S * 9/2008 Shiu D26/49
D577,844 S * 9/2008 Shiu D26/49
D579,595 S * 10/2008 Shiu D26/49
D593,631 S * 6/2009 Salva D22/108
D595,439 S * 6/2009 Haight et al. D26/49
7,594,464 B2 9/2009 Dueck
D605,798 S * 12/2009 Kim D26/49
D605,799 S * 12/2009 Kim D26/49
7,676,976 B2 3/2010 Dueck et al.
7,789,008 B2 9/2010 Petersen
7,832,323 B1 11/2010 Davies
7,856,914 B2 12/2010 Shults et al.
7,877,919 B2 * 2/2011 Richards 42/51
7,934,445 B2 * 5/2011 McClellan 89/40.06
7,946,069 B2 5/2011 Dueck et al.
D639,375 S 6/2011 Oliver
D642,649 S * 8/2011 Oliver D22/108
8,015,908 B2 9/2011 Kline et al.
8,100,224 B1 1/2012 Olson
2004/0060221 A1 * 4/2004 Mendoza-Orozco 42/77

2008/0102366 A1 * 5/2008 Anglin et al. 429/174
2008/0166626 A1 * 7/2008 Yoppolo 429/56
2012/0125184 A1 * 5/2012 Meyers 89/14.2
2012/0321937 A1 * 12/2012 Hutzler et al. 429/162

OTHER PUBLICATIONS

U.S. Appl. No. 13/348,834, filed Jan. 12, 2012, inventor: Barry W. Dueck.
U.S. Appl. No. 13/348,870, filed Jan. 12, 2012, inventor: Barry W. Dueck.
U.S. Appl. No. 13/348,898, filed Jan. 12, 2012, inventor: Barry W. Dueck.
U.S. Appl. No. 13/348,924, filed Jan. 12, 2012, inventors: Honigmann et al.
U.S. Appl. No. 29/410,780, filed Jan. 12, 2012, inventor: Karl R. Honigmann.
U.S. Appl. No. 29/410,782, filed Jan. 12, 2012, inventor: Karl R. Honigmann.

* cited by examiner




FIG. 1

70259.330

2/12




FIG. 2

70259.330

3/12




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7



FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12