



US00D684039S

(12) **United States Design Patent**  
**Rose**

(10) **Patent No.:** **US D684,039 S**  
(45) **Date of Patent:** **\*\* Jun. 11, 2013**

- (54) **PIN**
- (75) Inventor: **Douglas L. Rose**, Sherman, CT (US)
- (73) Assignee: **Black & Decker Inc.**, Newark, DE (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/403,096**
- (22) Filed: **Sep. 30, 2011**
- (51) **LOC (9) Cl.** ..... **08-08**
- (52) **U.S. Cl.**  
USPC ..... **D8/388**
- (58) **Field of Classification Search**  
USPC ..... D8/387, 388, 391, 385, 384; 411/439,  
411/487, 456, 485  
See application file for complete search history.

- 5,860,866 A \* 1/1999 Van Allman et al. .... 470/34
- 6,062,788 A \* 5/2000 Ying-Feng ..... 411/480
- D455,945 S \* 4/2002 Gilbert et al. .... D8/331
- D462,600 S \* 9/2002 Gilbert et al. .... D8/331
- 6,962,376 B2 \* 11/2005 Palzkill et al. .... 292/327
- D625,590 S \* 10/2010 Gaudron ..... D8/384
- D654,354 S \* 2/2012 Jeon ..... D8/387

\* cited by examiner

*Primary Examiner* — Sheryl Lane

(74) *Attorney, Agent, or Firm* — Cantor Colburn LLP

(57) **CLAIM**

I claim, the ornamental design for a pin, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the pin;  
FIG. 2 is a side plan view of the pin, views at 90, 180 and 170 degrees of rotation about an axial centerline of the pin being identical;  
FIG. 3 is an end view of the pin; and,  
FIG. 4 is another end view opposite the view of FIG. 3 of the pin.

**1 Claim, 2 Drawing Sheets**

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D49,704 S \* 9/1916 Cook ..... D8/393
- 4,915,561 A \* 4/1990 Buhri et al. .... 411/439
- D344,252 S \* 2/1994 Choi ..... D11/222
- D366,113 S \* 1/1996 Morgan ..... D24/145






FIG. 1




FIG. 2




FIG. 3




FIG. 4