



US00D684089S

(12) **United States Design Patent**  
**Nanbu et al.**

(10) **Patent No.:** **US D684,089 S**  
(45) **Date of Patent:** **\*\* Jun. 11, 2013**

(54) **BUCKLE**

(56) **References Cited**

(71) Applicants: **Madoka Nanbu**, Toyama (JP); **Yu Hashimoto**, Tokyo (JP)

U.S. PATENT DOCUMENTS

6,421,889	B1	7/2002	Chien	
D471,486	S *	3/2003	Uehara et al.	D11/216
D619,042	S *	7/2010	Uehara	D11/216
D647,818	S *	11/2011	Kaneko	D11/216
D657,286	S *	4/2012	Lo	D11/216

(72) Inventors: **Madoka Nanbu**, Toyama (JP); **Yu Hashimoto**, Tokyo (JP)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **YKK Corporation** (JP)

JP	7-289310	11/1995
JP	962657	9/1996

(\*\*) Term: **14 Years**

\* cited by examiner

(21) Appl. No.: **29/440,736**

*Primary Examiner* — Ralf Seifert

(22) Filed: **Dec. 26, 2012**

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend & Stockton LLP

(30) **Foreign Application Priority Data**

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

Jun. 28, 2012 (JP) ..... 2012-015277

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **02-07**

FIG. 1 is a perspective view of the front, bottom and right side of a buckle showing my (our) new design;  
FIG. 2 is a front view thereof;  
FIG. 3 is a rear view thereof;  
FIG. 4 is a left side view thereof;  
FIG. 5 is a right side view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom view thereof; and,  
FIG. 8 is a reference exploded view thereof.

(52) **U.S. Cl.**  
USPC ..... **D11/216**

(58) **Field of Classification Search**  
USPC ..... D11/1-2, 200-201, 206-210, 214-218;  
24/163 R, 169-171, 173, 177-179, 191,  
194-195, 197, 200, 614-616, 625, 198

See application file for complete search history.

**1 Claim, 6 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4

Fig. 5





Fig. 6




Fig. 7




Fig. 8

