



US00D684114S

(12) **United States Design Patent**
Otani et al.

(10) **Patent No.:** **US D684,114 S**
(45) **Date of Patent:** **** Jun. 11, 2013**

(54) **STORAGE BATTERY**

(71) Applicant: **Nintendo Co., Ltd.**, Kyoto (JP)

(72) Inventors: **Kazuumi Otani**, Kyoto (JP); **Junichi Saito**, Kyoto (JP); **Takumi Nakahira**, Kyoto (JP)

(73) Assignee: **Nintendo Co., Ltd**, Kyoto (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/439,984**

(22) Filed: **Dec. 18, 2012**

(30) **Foreign Application Priority Data**

Jun. 18, 2012 (JP) 2012-014494

(51) **LOC (9) Cl.** **13-02**

(52) **U.S. Cl.**
USPC **D13/103**

(58) **Field of Classification Search**
USPC D13/102–106, 110, 118–121, 184,
D13/199; 429/96–100, 163, 176
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,747 S * 2/1985 Toth D13/103
D439,877 S * 4/2001 Vacheron et al. D13/103
D474,149 S * 5/2003 Kawahata et al. D13/103
D509,182 S * 9/2005 Takeshita et al. D13/103
D590,334 S * 4/2009 Tatehata et al. D13/103
D590,336 S * 4/2009 Tatehata et al. D13/103

D590,337 S * 4/2009 Tatehata et al. D13/103
D590,769 S * 4/2009 Tatehata et al. D13/103
D592,130 S * 5/2009 Tatehata et al. D13/103
D601,494 S * 10/2009 Otani et al. D13/103
D623,590 S * 9/2010 Otani et al. D13/103
D635,512 S * 4/2011 Tatehata et al. D13/119
D642,980 S * 8/2011 Inaba D13/119
D644,988 S * 9/2011 Finney et al. D13/103
D645,814 S * 9/2011 Otani et al. D13/103
D646,222 S * 10/2011 Tatehata et al. D13/103
D669,427 S * 10/2012 Ignor et al. D13/103
8,409,748 B2 * 4/2013 Hagiwara et al. 429/162
2003/0108786 A1 * 6/2003 Aaltonen et al. 429/61
2008/0305367 A1 * 12/2008 Baek et al. 429/7
2010/0003585 A1 * 1/2010 Takahashi et al. 429/100
2010/0062325 A1 * 3/2010 Liu 429/100

* cited by examiner

Primary Examiner — Rosemary K Tarcza

(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye, P.C.

(57) **CLAIM**

The ornamental design for a storage battery, as shown and described.

DESCRIPTION

FIG. 1 is a front, bottom and left perspective view of a storage battery of our new design;

FIG. 2 is a rear, top and right perspective view thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a rear view thereof;

FIG. 5 is a top plan view thereof;

FIG. 6 is a bottom plan thereof;

FIG. 7 is a right side view thereof; and,

FIG. 8 is a left side view thereof.

1 Claim, 2 Drawing Sheets





FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8

