



US00D684125S

(12) **United States Design Patent**
Kawachi et al.

(10) **Patent No.:** **US D684,125 S**
(45) **Date of Patent:** **** Jun. 11, 2013**

(54) **ELECTROLUMINESCENCE MODULE**

(75) Inventors: **Hideharu Kawachi**, Kobe (JP);
Ryusuke Kotera, Osaka (JP); **Yoshiyuki Miyake**, Osaka (JP); **Osamu Tanahashi**,
Kyotanabe (JP)

(73) Assignee: **Panasonic Corporation**, Kadoma-shi
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/414,401**

(22) Filed: **Feb. 28, 2012**

(30) **Foreign Application Priority Data**

Aug. 30, 2011 (JP) 2011-019652
Aug. 30, 2011 (JP) 2011-019655

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/180**; D13/182

(58) **Field of Classification Search**
USPC D13/180, 182; 174/254; 257/40,
257/66, 72, 79; 313/483, 494, 504, 506, 512;
315/169.3; 345/76, 82; 445/25; 428/690;
438/99, 460; 427/66
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,081,071 A * 6/2000 Rogers 313/512
6,124,672 A * 9/2000 Burke 313/506
6,565,231 B1 * 5/2003 Cok 362/653
6,771,021 B2 * 8/2004 Cok 313/512
6,850,006 B2 * 2/2005 Kim et al. 313/512
7,452,258 B1 * 11/2008 Marzen et al. 445/25
7,677,944 B2 * 3/2010 Kawauchi 445/25
7,773,372 B2 * 8/2010 Moon et al. 361/679.21

D632,657 S * 2/2011 Fujihara et al. D13/180
D633,054 S * 2/2011 Fujihara et al. D13/180
D633,450 S * 3/2011 Fujihara et al. D13/180
D642,996 S * 8/2011 Miyake D13/180
8,030,845 B2 * 10/2011 Itai 313/512
8,207,664 B2 * 6/2012 Kawachi et al. 313/504
2005/0168143 A1 * 8/2005 Kum et al. 313/512
2009/0267526 A1 * 10/2009 Sung et al. 315/169.3
2011/0095701 A1 * 4/2011 Tanahashi et al. 315/291
2011/0248627 A1 * 10/2011 Fukano et al. 313/504

* cited by examiner

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Marvin A. Motsenbocker;
Mots Law, PLLC

(57) **CLAIM**

The ornamental design for an electroluminescence module,
as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment
electroluminescence module;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a top plan view thereof;
FIG. 6 is a right side view thereof;
FIG. 7 is a rear view thereof;
FIG. 8 is a bottom plan view thereof;
FIG. 9 is a front perspective of a second embodiment thereof;
FIG. 10 is a rear perspective view thereof;
FIG. 11 is a front view thereof;
FIG. 12 is a left side view thereof;
FIG. 13 is a top plan view thereof;
FIG. 14 is a right side view thereof;
FIG. 15 is a rear view thereof; and,
FIG. 16 is a bottom plan view thereof.

1 Claim, 16 Drawing Sheets





Fig.1




Fig.2




Fig.3




Fig.4



Fig.5




Fig.6



Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14



Fig.15




Fig.16

