



US00D684248S

(12) **United States Design Patent**
Gordon

(10) **Patent No.:** **US D684,248 S**
(45) **Date of Patent:** **** Jun. 11, 2013**

(54) **DISPENSER**

(71) Applicant: **William F. Gordon**, Chicago, IL (US)

(72) Inventor: **William F. Gordon**, Chicago, IL (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/437,123**

(22) Filed: **Nov. 13, 2012**

Related U.S. Application Data

(62) Division of application No. 29/406,978, filed on Nov. 21, 2011, now Pat. No. Des. 673,666.

(51) **LOC (9) Cl.** **28-99**

(52) **U.S. Cl.**
USPC **D23/366**

(58) **Field of Classification Search**
USPC D23/355-369; D28/5, 6; 261/DIG. 17, 261/DIG. 42, DIG. 47, DIG. 55, DIG. 65, 261/DIG. 70, DIG. 88, DIG. 89; 392/386, 392/390, 392, 394, 395; 239/34, 44, 53, 56, 239/60, 308, 326

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D277,910 S 3/1985 Hoyt
D373,626 S 9/1996 Dente et al.

(Continued)

FOREIGN PATENT DOCUMENTS

AU 129650 S 4/1997
AU 100661 S 6/1998

(Continued)

Primary Examiner — Sandra Snapp

(57) **CLAIM**

The ornamental design for a dispenser, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a front, top, and left side of an ornamental design for a dispenser;

FIG. 2 is a front elevational view of the dispenser of FIG. 1;

FIG. 3 is a rear elevational view of the dispenser of FIG. 1;

FIG. 4 is a left side elevational view of the dispenser of FIG. 1;

FIG. 5 is a right side elevational view of the dispenser of FIG. 1;

FIG. 6 is a top plan view of the dispenser of FIG. 1;

FIG. 7 is a bottom plan view of the dispenser of FIG. 1;

FIG. 8 is an isometric view of a front, top, and left side of an ornamental design for another embodiment of a dispenser;

FIG. 9 is a front elevational view of the dispenser of FIG. 8;

FIG. 10 is a rear elevational view of the dispenser of FIG. 8;

FIG. 11 is a left side elevational view of the dispenser of FIG. 8;


FIG. 12 is a right side elevational view of the dispenser of FIG. 8;

FIG. 13 is a top plan view of the dispenser of FIG. 8; and,

FIG. 14 is a bottom plan view of the dispenser of FIG. 8.

It is understood that the bounds of the claimed design are represented by shade lines to the end of the solid lines of the dispenser at the left and right sides, and top and bottom ends of the dispenser depicted in FIGS. 1-7, and to the end of the solid lines of the dispenser at the left and right sides, top and bottom ends, and corners of a front side of the dispenser depicted in the embodiment of FIGS. 8-14. Some of the dashed lines in FIGS. 1-14 represent apertures or recesses, which are not positively claimed in the representative embodiments. All other broken lines are for the purpose of depicting environmental structure and form no part of the claimed design.

1 Claim, 10 Drawing Sheets



US D684,248 S

Page 2

U.S. PATENT DOCUMENTS

D382,050 S 8/1997 Hayes
D393,901 S 4/1998 Kuhn
D466,205 S 11/2002 Garcia
D498,566 S 11/2004 Schick et al.
D522,640 S 6/2006 Miro
D565,164 S 3/2008 Duston et al.
D570,233 S 6/2008 Levinson et al.
D570,980 S 6/2008 Isono et al.
D593,670 S 6/2009 Valentino et al.
D596,281 S * 7/2009 Schwartz et al. D23/366
D607,985 S * 1/2010 Roller D23/366
D610,666 S 2/2010 Furner et al.
D611,584 S 3/2010 Gruenbacher et al.
D620,572 S 7/2010 Moreno et al.
D633,192 S * 2/2011 Valentino et al. D23/366
D642,668 S 8/2011 Lablaine
D662,582 S 6/2012 Olchovy et al.
D670,370 S 11/2012 Olchovy et al.

FOREIGN PATENT DOCUMENTS

AU 138685 S 10/1999
AU 152440 S 7/2003
AU 300098 S 8/2004
AU 156406 S 9/2004
AU 156407 S 9/2004
AU 156934 S 11/2004
AU 302827 S 8/2005
AU 306545 S 5/2006
AU 306546 S 5/2006
AU 306547 S 5/2006
AU 306726 S 5/2006
AU 316355 S 9/2007
AU 316428 S 10/2007
AU 328607 S 11/2009

AU 328608 S 11/2009
AU 329244 S 1/2010
AU 334700 S 1/2011
EM 000021886-0001 10/2003
EM 000162169-0001 10/2004
EM 000339387-0001 7/2005
EM 000557640-0001 8/2006
EM 000557640-0002 8/2006
EM 000581657-0003 10/2006
EM 000581657-0004 10/2006
EM 000616750-0001 12/2006
EM 000616750-0002 12/2006
EM 000762752-0001 8/2007
EM 000787114-0001 9/2007
EM 000802392-0001 10/2007
EM 000988282-0001 1/2009
EM 001065320-0001 1/2009
EM 000976311-0001 4/2009
EM 001006043-0001 7/2009
EM 000801568-0001 11/2009
EM 000801568-0002 11/2009
EM 000801568-0003 11/2009
EM 000801568-0004 11/2009
EM 001172480-0001 1/2010
EM 001172480-0002 1/2010
EM 001172480-0003 1/2010
EM 001172480-0004 1/2010
EM 001226989-0004 11/2010
EM 001726803-0001 3/2011
EM 001726803-0002 3/2011
EM 001187793-0001 7/2011
EM 001187793-0002 7/2011
EM 001187793-0003 7/2011

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14