



US00D684282S

(12) **United States Design Patent**
Huang

(10) **Patent No.:** **US D684,282 S**
(45) **Date of Patent:** **** Jun. 11, 2013**

(54) **DOUBLE OFFSET LIGHT USED ON TRUCKS**

(75) Inventor: **Nan Huang Huang**, Rancho Palos Verdes, CA (US)

(73) Assignee: **Grand General Accessories Manufacturing**, Rancho Dominguez, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/374,744**

(22) Filed: **Sep. 29, 2011**

(51) **LOC (9) Cl.** **26-06**

(52) **U.S. Cl.**
USPC **D26/31**

(58) **Field of Classification Search**
USPC D26/28-36; 362/458-468, 475-478, 362/485-487

See application file for complete search history.

- D442,304 S 5/2001 Huang
- D443,852 S 6/2001 Huang
- 6,302,569 B1 10/2001 Huang
- D463,344 S 9/2002 Huang
- D463,590 S 9/2002 Huang
- D463,612 S 9/2002 Huang
- D465,860 S 11/2002 Huang
- D465,861 S 11/2002 Huang
- D469,213 S 1/2003 Huang
- D469,895 S 2/2003 Huang
- D470,613 S 2/2003 Huang
- D470,970 S 2/2003 Huang
- D471,657 S 3/2003 Huang
- D471,664 S 3/2003 Huang
- D474,303 S 5/2003 Huang
- D474,559 S 5/2003 Huang
- 6,657,145 B1 12/2003 Huang
- D487,320 S 3/2004 Huang
- D494,519 S 8/2004 Huang
- D494,520 S 8/2004 Huang
- D495,821 S 9/2004 Huang
- D507,670 S 7/2005 Huang

(Continued)

Primary Examiner — Marcus Jackson

(74) Attorney, Agent, or Firm — Thomas I. Rozsa

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 5,722,758 A 3/1998 Huang
- D397,321 S 8/1998 Huang
- 5,810,532 A 9/1998 Huang
- 5,816,617 A 10/1998 Huang
- D406,555 S 3/1999 Huang
- D413,090 S 8/1999 Huang
- 5,938,222 A 8/1999 Huang
- D413,845 S 9/1999 Huang
- 5,947,588 A 9/1999 Huang
- 5,954,538 A 9/1999 Huang
- D417,643 S 12/1999 Huang
- 5,997,159 A 12/1999 Huang
- 6,036,533 A 3/2000 Huang
- D431,229 S 9/2000 Huang
- D431,318 S 9/2000 Huang
- 6,149,288 A 11/2000 Huang
- D439,213 S 3/2001 Huang
- D439,994 S 4/2001 Huang


(57) **CLAIM**

The ornamental design for a double offset light used on trucks, as shown and described.

DESCRIPTION

FIG. 1 is a side-front perspective view of a double offset light used on trucks, showing my design;
FIG. 2 is a side-rear perspective view thereof
FIG. 3 is a front view thereof
FIG. 4 is a rear view thereof;
FIG. 5 is a right side view;
FIG. 6 is a left side view;
FIG. 7 is a top view; and,
FIG. 8 is a bottom view thereof.

1 Claim, 5 Drawing Sheets



US D684,282 S

Page 2

| U.S. PATENT DOCUMENTS | | | | | | |
|-----------------------|----------|------------------------------|------------|---|---------|------------------------------|
| D510,147 S | 9/2005 | Huang | D576,574 S | * | 9/2008 | Kobayakawa D13/180 |
| D510,148 S | 9/2005 | Huang | D578,229 S | | 10/2008 | Huang |
| D510,149 S | 9/2005 | Huang | D578,230 S | | 10/2008 | Huang |
| D511,850 S | 11/2005 | Huang | D578,231 S | | 10/2008 | Huang |
| D512,010 S | 11/2005 | Huang | D578,677 S | | 10/2008 | Huang |
| D526,430 S | * 8/2006 | Hernandez et al. D26/31 | D578,678 S | | 10/2008 | Huang |
| D538,735 S | 3/2007 | Huang | D578,679 S | | 10/2008 | Huang |
| D538,736 S | 3/2007 | Huang | D578,680 S | | 10/2008 | Huang |
| D540,488 S | 4/2007 | Huang | D578,681 S | | 10/2008 | Huang |
| D542,202 S | 5/2007 | Huang | D578,682 S | | 10/2008 | Huang |
| D542,463 S | 5/2007 | Huang | D578,683 S | | 10/2008 | Huang |
| D547,889 S | 7/2007 | Huang | D579,591 S | | 10/2008 | Huang |
| D548,038 S | 8/2007 | Huang | D581,777 S | | 12/2008 | Huang |
| D548,375 S | 8/2007 | Huang | D590,967 S | | 4/2009 | Huang |
| D549,147 S | 8/2007 | Huang | D599,190 S | | 9/2009 | Huang |
| D553,271 S | 10/2007 | Huang | D613,218 S | | 4/2010 | Huang |
| D555,564 S | 11/2007 | Huang | D613,594 S | | 4/2010 | Huang |
| D564,110 S | 3/2008 | Huang | D613,595 S | | 4/2010 | Huang |
| 7,347,504 B1 | 3/2008 | Huang | D615,223 S | | 5/2010 | Huang |
| D569,775 S | 5/2008 | Huang | D615,469 S | | 5/2010 | Huang |
| D570,011 S | 5/2008 | Huang | D617,474 S | | 6/2010 | Huang |
| D570,012 S | 5/2008 | Huang | D642,302 S | * | 7/2011 | Schiavone et al. D26/28 |
| D570,013 S | 5/2008 | Huang | D643,951 S | * | 8/2011 | Cai D26/28 |
| D575,631 S | 8/2008 | Huang | D653,783 S | * | 2/2012 | Biro et al. D26/31 |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8