



US00D684617S

(12) **United States Design Patent**
Romero

(10) **Patent No.:** **US D684,617 S**
(45) **Date of Patent:** **** Jun. 18, 2013**

(54) **OPTICAL DEVICE**

(75) Inventor: **Joseph Romero**, Monrovia, CA (US)

(73) Assignee: **Micro World Corp.**, Pomona, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/407,374**

(22) Filed: **Nov. 28, 2011**

(51) **LOC (9) Cl.** **16-06**

(52) **U.S. Cl.**
USPC **D16/136; D16/130**

(58) **Field of Classification Search**

USPC D16/130, 219, 134, 136, 235; 359/811,
359/819, 796, 703, 820, 813, 827, 829;
206/316.1, 214; D9/437, 434, 503, 728, 414,
D9/415, 435, 442, 686, 688, 690; D7/411;
D11/226, 227, 228, 220; 24/591.1, 686, 689,
24/593.11; D25/119, 122; D26/26, 113, 120,
D26/138, 139, 143

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,465,083	A *	3/1949	Gradisar	403/348
2,732,751	A *	1/1956	Heidecke et al.	396/530
D215,417	S *	9/1969	MacDonald	D9/434
3,671,108	A *	6/1972	Kilgus	359/820
3,935,656	A *	2/1976	Pritchard	40/790
4,303,306	A *	12/1981	Ookawa	359/819
D273,088	S *	3/1984	Anderson	D8/395
4,957,341	A *	9/1990	Hasegawa	359/819
5,263,676	A *	11/1993	Medlin et al.	248/300
D344,763	S *	3/1994	Vitantonio et al.	D20/28
5,608,579	A *	3/1997	Nomura	359/820
5,808,817	A *	9/1998	Miyamoto et al.	359/819
6,088,160	A *	7/2000	Nomura et al.	359/566
6,215,604	B1 *	4/2001	Hori	359/819
6,501,605	B2 *	12/2002	Moriya	359/819
6,643,076	B2 *	11/2003	Montagu	359/819

6,816,325	B1 *	11/2004	Becker et al.	359/819
7,002,760	B2 *	2/2006	Von Poncet et al.	359/822
7,061,698	B2 *	6/2006	Osterried et al.	359/819
D538,319	S *	3/2007	Sprague	D16/134
7,268,959	B2 *	9/2007	Shyu et al.	359/819
7,359,130	B1 *	4/2008	Calvet	359/819
7,359,131	B1 *	4/2008	Gutierrez et al.	359/819

(Continued)

Primary Examiner — Paula Greene

(57) **CLAIM**

The ornamental design for optical device, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of the first embodiment of the optical device of the present invention.

FIG. 2 is a front view of the first embodiment of the optical device of the present invention;

FIG. 3 is a side view of the first embodiment of the optical device of the present invention;

FIG. 4 is an isometric view of the second embodiment of the optical device of the present invention;

FIG. 5 is a front view of the second embodiment of the optical device of the present invention;

FIG. 6 is a side view of the second embodiment of the optical device of the present invention;

FIG. 7 is an isometric view of the third embodiment of the optical device of the present invention;

FIG. 8 is a front view of the third embodiment of the optical device of the present invention;


FIG. 9 is a side view of the third embodiment of the optical device of the present invention;

FIG. 10 is an isometric view of the fourth embodiment of the optical device of the present invention;

FIG. 11 is a front view of the fourth embodiment of the optical device of the present invention; and,

FIG. 12 is a side view of the fourth embodiment of the optical device of the present invention.

1 Claim, 12 Drawing Sheets



U.S. PATENT DOCUMENTS				7,474,473 B1 *	1/2009	Wang	359/703
7,400,463 B1 *	7/2008	Wu	359/824	7,576,929 B2 *	8/2009	Inamoto	359/819
7,423,823 B2 *	9/2008	Naganuma et al.	359/820	8,045,279 B2 *	10/2011	Kuwa et al.	359/719
7,443,616 B2 *	10/2008	Lee	359/811	* cited by examiner			




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12