



US00D684906S

(12) **United States Design Patent**
Magaard

(10) **Patent No.:** **US D684,906 S**

(45) **Date of Patent:** **** Jun. 25, 2013**

(54) **BRAKE SHIM**

(75) Inventor: **Ole Magaard**, Odense V (DK)

(73) Assignee: **Meneta A/S**, Odense N (DK)

(**) Term: **14 Years**

(21) Appl. No.: **29/419,846**

(22) Filed: **May 2, 2012**

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/180**

(58) **Field of Classification Search**
USPC D12/180; 188/24.11, 24.12, 24.13,
188/24.22, 71.1, 72.3, 72.4, 72.5, 73.37,
188/73.38, 73.39, 73.41, 73.42, 73.43, 73.44,
188/73.45, 73.46; 192/70.16, 107 R
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D337,296 S *	7/1993	Steinke et al.	D12/180
D337,750 S *	7/1993	Steinke et al.	D12/180
D341,807 S *	11/1993	Steinke et al.	D12/180
D344,921 S *	3/1994	Steinke et al.	D12/180
D344,923 S *	3/1994	Steinke et al.	D12/180
D346,998 S *	5/1994	Steinke et al.	D12/180
D354,265 S *	1/1995	Steinke et al.	D12/180
D356,533 S *	3/1995	Steinke et al.	D12/180
D357,450 S *	4/1995	Steinke et al.	D12/180
D357,655 S *	4/1995	Steinke et al.	D12/180
D357,659 S *	4/1995	Steinke et al.	D12/180
D359,020 S *	6/1995	Steinke et al.	D12/180
D362,225 S *	9/1995	Steinke et al.	D12/180

D368,453 S *	4/1996	Steinke et al.	D12/180
D368,454 S *	4/1996	Steinke et al.	D12/180
D368,456 S *	4/1996	Steinke et al.	D12/180
D368,459 S *	4/1996	Steinke et al.	D12/180
D368,461 S *	4/1996	Steinke et al.	D12/180
D368,462 S *	4/1996	Steinke et al.	D12/180
D506,958 S *	7/2005	Blevins-Catalano	D12/180
D506,959 S *	7/2005	Blevins-Catalano	D12/180
D547,245 S *	7/2007	Sehmer et al.	D12/180
D610,510 S *	2/2010	Liu et al.	D12/180
D614,552 S *	4/2010	Liu et al.	D12/180

* cited by examiner

Primary Examiner — Philip S Hyder

Assistant Examiner — John T Applewhite

(74) *Attorney, Agent, or Firm* — Greer, Burns & Crain, Ltd.


(57) **CLAIM**

The ornamental design for a brake shim, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the present brake shim;
 FIG. 2 is a front view of same;
 FIG. 3 is a top view of the brake shim of FIG. 1, the bottom being identical;
 FIG. 4 is a side view of same, both sides being identical;
 FIG. 5 is a top perspective view of another embodiment of the present brake shim;
 FIG. 6 is a front view of the brake shim of FIG. 5;
 FIG. 7 is a top view of the surface of FIG. 5, the bottom being identical; and,
 FIG. 8 is a side view of same, both sides being identical.
 The broken lines shown illustrate portions of the brake shim that form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8