



US00D685355S

(12) **United States Design Patent**
Holleman et al.

(10) **Patent No.:** **US D685,355 S**
(45) **Date of Patent:** **** Jul. 2, 2013**

(54) **NETWORK DEVICE ENCLOSURE**

(75) Inventors: **Avery Holleman**, Long Beach, CA (US);
Yuji Ikeda, Los Angeles, CA (US);
Thorben Neu, Los Angeles, CA (US);
Ernesto V. Quinteros, Los Angeles, CA (US)

(73) Assignee: **Belkin International, Inc.**, Playa Vista, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/419,676**

(22) Filed: **Apr. 30, 2012**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/240; D14/358**

(58) **Field of Classification Search**
USPC D14/242, 240, 357, 358, 140-140.9,
D14/155, 137, 139, 243, 348, 349, 351, 354,
D14/355; 375/222; 455/557; 725/111
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D375,297	S	*	11/1996	Casarez et al.	D14/358
D461,180	S	*	8/2002	Van Egmond et al.	D14/240
D531,625	S	*	11/2006	Hori	D14/230
D598,449	S	*	8/2009	Landry et al.	D14/358
D605,643	S	*	12/2009	Landry et al.	D14/240
D638,426	S	*	5/2011	Ikeda et al.	D14/358
D647,896	S	*	11/2011	Chen et al.	D14/314
D655,263	S	*	3/2012	Tsai	D14/125
D662,918	S	*	7/2012	Ikeda et al.	D14/240
D662,919	S	*	7/2012	Ikeda et al.	D14/240

* cited by examiner

Primary Examiner — Bridget L Eland

(74) Attorney, Agent, or Firm — Bryan Cave LLP


(57) **CLAIM**

We claim the ornamental design for a network device enclosure, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the network device enclosure, according to a first embodiment;
 FIG. 2 is a bottom view of the network device enclosure, according to the first embodiment;
 FIG. 3 is a front view of the network device enclosure, according to the first embodiment;
 FIG. 4 is a rear view of the network device enclosure, according to the first embodiment;
 FIG. 5 is a right side view of the network device enclosure, according to the first embodiment;
 FIG. 6 is a left side view of the network device enclosure, according to the first embodiment;
 FIG. 7 is a top, right, front perspective view of the network device enclosure, according to the first embodiment;
 FIG. 8 is a top, left, rear perspective view of the network device enclosure, according to the first embodiment;
 FIG. 9 is a top view of the network device enclosure, according to a second embodiment;
 FIG. 10 is a bottom view of the network device enclosure, according to the second embodiment;
 FIG. 11 is a front view of the network device enclosure, according to the second embodiment;
 FIG. 12 is a rear view of the network device enclosure, according to the second embodiment;
 FIG. 13 is a right side view of the network device enclosure, according to the second embodiment;
 FIG. 14 is a left side view of the network device enclosure, according to the second embodiment;
 FIG. 15 is a top, right, front perspective view of the network device enclosure, according to the second embodiment; and,
 FIG. 16 is a top, left, rear perspective view of the network device enclosure, according to the second embodiment.
 Broken lines immediately adjacent to the claimed surfaces represent boundaries of the claimed design. All other broken lines depict unclaimed environment. The broken lines and unshaded surfaces bounded by broken lines form no part of the claimed design.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16