



US00D685410S

(12) **United States Design Patent**
Chaput

(10) **Patent No.:** **US D685,410 S**

(45) **Date of Patent:** **** Jul. 2, 2013**

(54) **STRING RELEASE DEVICE FOR STRINGED INSTRUMENTS**

(76) Inventor: **Reynald L. Chaput**, Torrance, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/411,102**

(22) Filed: **Jan. 17, 2012**

(51) **LOC (9) Cl.** **17-03**

(52) **U.S. Cl.**
USPC **D17/20**

(58) **Field of Classification Search**
USPC D17/20, 21, 99; 84/214, 298, 299,
84/312 R, 313, 317, 318, 454, 455
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D30,515 S *	4/1899	Cole	D17/21
D213,647 S *	3/1969	Fields	D17/21
D263,149 S *	2/1982	Wilson	D17/20
D301,892 S *	6/1989	Jablonski	D17/20
D395,330 S *	6/1998	Sarno	D17/20

6,369,305 B1 *	4/2002	Powers et al.	84/298
D463,391 S *	9/2002	Siokola	D14/155
D646,710 S *	10/2011	Chaput	D17/20
8,119,893 B2 *	2/2012	Dunwoodie	84/312 R
D661,341 S *	6/2012	Baron et al.	D17/20
2007/0209496 A1 *	9/2007	Lenzi	84/313

* cited by examiner

Primary Examiner — Rashida Johnson


(57) **CLAIM**

The ornamental design for a string release device for stringed instruments, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a string release device for stringed instruments showing my new design;
FIG. 2 is a top view thereof;
FIG. 3 is a right side view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a front view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 3 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7