



US00D685489S

(12) **United States Design Patent**
Nishioka et al.

(10) **Patent No.:** **US D685,489 S**
(45) **Date of Patent:** **** Jul. 2, 2013**

(54) **PERSONAL WARMING APPARATUS**

(75) Inventors: **Daisuke Nishioka**, Osaka (JP); **Satoshi Takagi**, Osaka (JP)

(73) Assignee: **Kobayashi Pharmaceutical Co., Ltd.**
(JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/409,267**

(22) Filed: **Dec. 21, 2011**

(30) **Foreign Application Priority Data**

Jun. 30, 2011 (JP) 2011-015001

(51) **LOC (9) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/206**

(58) **Field of Classification Search**
USPC D24/206-208, 189-192, 118; 602/1-7,
602/17-27, 61-66, 74, 30; 128/112.1, 117.1,
128/95.1, 96.1, 97.1, 100.1, 101.1, 876;
606/204, 27; 607/96, 108, 109, 111, 112;
D29/121.2, 122, 101.2, 101.5, 120.1, 121.1,
D29/108; D3/327; D9/707; 601/15, DIG. 1;
126/204

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D321,826 S *	11/1991	Page	D9/707
D333,939 S *	3/1993	Gates	D24/190
D347,897 S *	6/1994	Kudrow et al.	D24/206
D353,892 S *	12/1994	Shaw et al.	D24/207
D354,138 S *	1/1995	Kelly	D24/206
D383,546 S *	9/1997	Amis et al.	D24/206
5,788,658 A *	8/1998	Islava	602/18
D583,958 S *	12/2008	Usui et al.	D24/206
D609,359 S *	2/2010	Yim	D24/206
D613,181 S *	4/2010	Friedland et al.	D9/707

D636,498 S *	4/2011	Smith	D24/206
D637,725 S *	5/2011	Seminaroti	D24/189
D670,816 S *	11/2012	Suzuki et al.	D24/206

FOREIGN PATENT DOCUMENTS

JP	0832131	3/1992
JP	0832133	3/1992
JP	971829	1/1997
JP	971829-1	1/1997
JP	983266	6/1997
JP	971829-2	5/1998
JP	1058075	1/2000
JP	1134379	2/2002
JP	1134492	2/2002
JP	1207734	6/2004

(Continued)

Primary Examiner — David Muller

(74) *Attorney, Agent, or Firm* — SAIDMAN DesignLaw Group

(57) **CLAIM**


The ornamental design for a personal warming apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a personal warming apparatus showing our new design; FIG. 2 is a front view thereof; FIG. 3 is a rear view thereof; FIG. 4 is a right side view thereof; FIG. 5 is a left side view thereof; FIG. 6 is a top view thereof; FIG. 7 is a bottom view thereof; and, FIG. 8 is an alternate bottom view thereof, showing a release paper layer removed.

The dashed broken line illustrates a perforation and forms no part of the claimed design. The dot-dashed broken line illustrates a through-slit and forms no part of the claimed design. The relatively light gray shade lines on the surface portions indicate contour and not surface decoration.

1 Claim, 4 Drawing Sheets



US D685,489 S

Page 2

FOREIGN PATENT DOCUMENTS					
			JP	1263168	2/2006
			JP	1276790	7/2006
			JP	1276923	7/2006
			* cited by examiner		
JP	1207735	6/2004			
JP	1210533	6/2004			
JP	1241838	6/2005			




Fig. 1




Fig. 2




Fig. 3



Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8