



US00D685723S

(12) **United States Design Patent**
Shin et al.

(10) **Patent No.:** **US D685,723 S**
(45) **Date of Patent:** **** Jul. 9, 2013**

(54) **TIRE FOR AUTOMOBILE**

(75) Inventors: **Seung Tae Shin**, Busan-si (KR); **Seung Il Choi**, Yangsan-si (KR)

(73) Assignee: **Nexen Tire Corporation**, Yangsan-si, Gyeongsangnam-do (KR)

(**) Term: **14 Years**

(21) Appl. No.: **29/398,595**

(22) Filed: **Aug. 2, 2011**

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/545; D12/559**

(58) **Field of Classification Search**
USPC **D12/533-567; 152/209.1-209.28**
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D362,420	S	*	9/1995	Heinen et al.	D12/564
D363,456	S	*	10/1995	Graas et al.	D12/544
D606,008	S	*	12/2009	D'Abrigeon et al.	D12/565
D608,726	S	*	1/2010	Tanaka	D12/566

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Duane Morris, LLP; J. Rodman Steele, Jr.; Gregory M. Lefkowitz


(57) **CLAIM**

The ornamental design for a tire for automobile, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire for automobile in accordance with the new design;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a rear elevational view thereof;
FIG. 4 is an enlarged fragmentary front view thereof;
FIG. 5 is a left side elevational view thereof; and,
FIG. 6 is a right side elevational view thereof.

1 Claim, 6 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6