



US00D685738S

(12) **United States Design Patent**  
**Moore et al.**

(10) **Patent No.:** **US D685,738 S**  
(45) **Date of Patent:** **\*\* Jul. 9, 2013**

- (54) **ELECTRONIC DEVICE BATTERY DOOR**
  - (75) Inventors: **Shannon Tyler Moore**, Waterloo (CA);  
**Joseph Michael Hofer**, Waterloo (CA);  
**Roman Peter Rak**, Waterloo (CA); **Lesli Ann Mie Agcaoili**, Waterloo (CA)
  - (73) Assignee: **Research In Motion Limited**, Waterloo, Ontario (CA)
  - (\*\*) Term: **14 Years**
  - (21) Appl. No.: **29/408,400**
  - (22) Filed: **Dec. 12, 2011**
  - (51) **LOC (9) Cl.** ..... **13-02**
  - (52) **U.S. Cl.**  
USPC ..... **D13/119; D14/250**
  - (58) **Field of Classification Search**  
USPC ..... D13/102–106, 110, 118–121, 184,  
D13/199; 429/96–100, 163, 176; D14/341–347,  
D14/137, 138, 138.1, 138 AA, 138 R, 138 AB,  
D14/138 AC, 138 AD, 138 C, 138 G, 496,  
D14/203.1, 203.3, 203.4, 203.5, 203.7, 426,  
D14/427, 432, 429, 129, 130, 420, 439–441,  
D14/448, 125, 147, 156, 218, 247–248, 250;  
455/556.1, 556.2, 555, 575.1, 90.3; 379/433.04,  
379/433.01, 433.06, 916; 361/679.26, 679.27,  
361/679.3, 679.55, 679.56
- See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D367,640	S	*	3/1996	Nagele et al.	.....	D13/103
5,554,452	A	*	9/1996	Delmolino et al.	.....	429/10
D425,858	S	*	5/2000	Oliver et al.	.....	D13/119
D442,915	S	*	5/2001	Sasaoka	.....	D13/119
D445,088	S	*	7/2001	Sasaoka	.....	D13/119
D468,684	S	*	1/2003	Shugar	.....	D13/102
D528,501	S	*	9/2006	Lam	.....	D13/102
D606,934	S	*	12/2009	Taggart et al.	.....	D13/102
D619,090	S	*	7/2010	Taggart et al.	.....	D13/102
D629,782	S	*	12/2010	Kim et al.	.....	D14/138 G
D649,144	S	*	11/2011	Fathollahi	.....	D14/250
D655,288	S	*	3/2012	de Jong et al.	.....	D14/341
D656,929	S	*	4/2012	Hsiung	.....	D14/250
2003/0175584	A1	*	9/2003	Shrim et al.	.....	429/96

\* cited by examiner

*Primary Examiner* — Rosemary K Tarcza


(57) **CLAIM**  
We claim the ornamental design for an electronic device battery door, as shown and described.

**DESCRIPTION**

FIG. 1 is a back perspective view of an electronic device battery door; and,  
FIG. 2 is a back elevation view of the electronic device battery door.

The broken lines shown in the drawings of the electronic device battery door are for the purpose of illustrating portions of the article and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2