



US00D685853S

(12) **United States Design Patent**
Wajs, Jr.

(10) **Patent No.:** **US D685,853 S**
(45) **Date of Patent:** **** Jul. 9, 2013**

(54) **SHIRT-SHAPED BOTTLE TAG**

(76) **Inventor:** **James Wajs, Jr.,** Spring Grove, IL (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/424,948**

(22) **Filed:** **Jun. 18, 2012**

(51) **LOC (9) Cl.** **19-08**

(52) **U.S. Cl.**
USPC **D20/23**

(58) **Field of Classification Search**
USPC D20/10, 19, 22–29, 40, 99;
40/124.01–124.09, 124.11–124.19, 124.191,
40/299.01, 310, 312, 360, 625, 642, 661.01,
40/661.02; D7/625; D19/1, 8–10, 52; D23/366,
D23/367; D9/631; 206/279; 223/37; 273/56
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,350,890	A	8/1920	Tanzey	
3,772,809	A	11/1973	Schneller	
4,483,622	A	11/1984	Muhi et al.	
5,154,329	A *	10/1992	Dorfmueller	223/37
5,358,770	A	10/1994	Evans	
D360,651	S *	7/1995	Budde et al.	D19/52
D381,046	S	7/1997	Hiers et al.	
5,704,144	A	1/1998	Groth	
5,799,815	A	9/1998	Lang	
D403,707	S *	1/1999	Wyatt et al.	D20/29
D404,677	S	1/1999	Johnson	
6,070,720	A *	6/2000	Johnson	206/279
D430,219	S *	8/2000	Chagan	D20/23
D500,788	S *	1/2005	Kaplan	D19/8
D505,588	S	5/2005	Wax	
D510,108	S	9/2005	Moshitta	
D514,214	S *	1/2006	Green et al.	D23/366
D525,521	S *	7/2006	Bruns	D9/631

D535,006	S *	1/2007	Virani	D23/367
D543,213	S *	5/2007	Virani	D14/458
D554,191	S	10/2007	Johnson	
D562,622	S	2/2008	Weaver	
D567,925	S *	4/2008	Salvo	D23/366
D567,927	S *	4/2008	Salvo	D23/366
D619,335	S *	7/2010	Solosabal et al.	D2/862
D620,988	S	8/2010	Berger	
D647,570	S *	10/2011	Kahn	D20/23
2006/0207132	A1	9/2006	Vaughan et al.	

FOREIGN PATENT DOCUMENTS

CN	1428275	A	7/2003
CN	201111779	Y	9/2008
CN	201214540	Y	4/2009
DE	10150039	A1	4/2003
IE	2008/0160		4/2009

* cited by examiner

Primary Examiner — Mary Ann Calabrese

(74) *Attorney, Agent, or Firm* — Scherrer Patent & Trademark Law, P.C.; Stephen T. Scherrer


(57) **CLAIM**

The ornamental design for a shirt-shaped bottle tag, as shown and described.

DESCRIPTION

FIG. 1 is a front view of an embodiment of a new design of the present invention;
FIG. 2 is a rear view of the new design of FIG. 1;
FIG. 3 is a right side view of the new design of FIG. 1;
FIG. 4 is a left side view of the new design of FIG. 1;
FIG. 5 is a top side view of the new design of FIG. 1;
FIG. 6 is a bottom side view of the new design of FIG. 1; and,
FIG. 7 is a perspective view of the new design of FIG. 1.
In the drawings, the broken lines illustrate environment and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIGURE 5



FIGURE 4




FIGURE 1




FIGURE 3




FIGURE 6




FIGURE 2




FIGURE 7